

No. 3. — *List of the Fishes, Types of Poey, in the Museum of Comparative Zoology*

BY LUIS HOWELL Y RIVERO

INTRODUCTION

The present paper presents a list of some of the types of fishes described by Felipe Poey, viz. those which are deposited in the collection of the Museum of Comparative Zoölogy.

Felipe Poey (1799-1891), who during his entire life studied Cuban fishes, sent to the Museum of Comparative Zoölogy, between the years 1861 and 1870, several collections of alcoholic fishes, as well as a great number of skeletons and mounted specimens. Among these were a large number of his types, and it is the purpose of this paper to discuss such of these as can at present be located.

A careful checking has been made of every specimen sent by Poey to determine which are types. I have been helped in every instance by his various publications, the original invoices which accompanied the lots, now deposited in the Library of the Museum of Comparative Zoölogy, besides many notes brought with me from Cuba. Attention is called to the fact that more than once the invoice number of the specimens sent by Poey has been taken as the original "species number," and this has caused confusion. Every species described or identified by him pertaining to the Cuban fauna as far as he knew it, bears a "species number" in all his papers, regardless of the number of specimens used or seen. The writer has a complete list of Poey's "species numbers" and these are given with each species herein as *No. Poey* after the M. C. Z. catalogue number.

In this paper, the name by which the species was described is given first, followed by the name which gives the actual status of the species. In the synonymy, reference is given to all the publications of Poey in which the species is mentioned. After this, reference is given to the original description of the species in those cases in which Poey's species is considered a synonym. Last comes the reference to the work of Jordan & Evermann (*Fishes of North and Middle America, 1896-1898*), as the most complete account of the fishes of the West Indies. In all possible cases reference will be given to the latest work concerning any major group or family.

To save space by avoiding a certain amount of repetition, all references have been abbreviated, giving a complete and detailed bibli-

ography at the end of the paper, where attention is called to the publication dates of the fascicules of the *Memorias* and *Repertorio* of Poey. Lack of accuracy in this matter has been the cause of more than one error.

All of the holotypes and many of the paratypes and cotypes are figured in Poey's unpublished manuscript "Ichthyology of Cuba," but some of these figures have already appeared in his various publications.

Since it is understood that the general locality is Cuba, the locality reference is omitted, except in cases where a specific locality is stated in the description, e.g. Jardín Botánico, Habana. (for *Girardinus metallicus*).

It is a satisfaction to find that of the 389 species described by Poey, the types of 188 species are here preserved. I regret to say that a few of his types are lost, although in some instances he states in his invoices or original description that he has sent them to the Museum of Comparative Zoölogy; in other cases they are cited as being in this Museum in the work of Jordan & Evermann (loc. cit.), among these *Chauliodus richardsoni* Poey, *Gramma loreto* Poey and *Physiculus kaupi* Poey. Most of the specimens sent by Poey, especially the types, are in a very good state of preservation.

In this paper, the general arrangement of the "Check List of Fishes and Fish-like Vertebrates of North and Middle America," 1930 (Bull. U. S. Fish Comm.) has been followed. All measurements given refer to the total length of the specimens, unless something else is specifically indicated.

SQUALIDAE

ETMOPTERUS

Etmopterus Rafinesque, 1810a:14 (*Etmopterus aculeatus* Rafinesque = *Squalus spinax* Linnaeus)

1. SPINAX HILLIANUS Poey

= ETMOPTERUS HILLIANUS (Poey)

Spinax hillianus Poey, 1861:340, 359, pl. 19, fig. 13-14.

Squalus hillianus, Poey, 1868:454.

Spinax spinax Poey, 1876-203.

Etmopterus pusillus, Jordan & Evermann, 1896:55.

Etmopterus hillianus, Garman, 1913:224, pl., 10, fig.

1-4.

Holotype: M. C. Z. 1025, female. No. Poey 617.

CLUPEIDAE

SARDINIA

Sardinia Poey, 1860:311 (*Sardinia pseudo-hispanica* Poey)

2. SARDINIA PSEUDO-HISPANICA Poey

= SARDINIA ANCHOVIA (Cuvier & Valenciennes)

Sardinia pseudo-hispanica Poey, 1860:311; 1861:384;
1868:419; 1876:148.

Sardinella anchovia Cuvier & Valenciennes, 1847:269;
Jordan & Evermann, 1896:429.

Cotypes: M. C. Z. 17768 and 17771. No. Poey 34. In the first lot there are five specimens, 100 to 145 mm., the one 130 mm. long figured by Poey in his MS; the second number includes only one specimen.

HARENGULA

Harengula Cuvier & Valenciennes, 1847:280 (*Harengula latulus* Cuvier & Valenciennes)

3. HARENGULA SARDINA Poey

Harengula sardina Poey, 1860:310; 1861:384; 1868:
418; 1876:147.

Sardinella sardina, Jordan & Evermann, 1896:430.

Holotype: M. C. Z. 17868. Paratypes: M. C. Z. 17736, two specimens 128 and 153 mm. No. Poey 40.

CHIROCENTRODON

Chirocentrodon Günther, 1868:463 (*Chirocentrodon taeniatus* Günther)

4. PELLONA BLEEKERIANA Poey

= CHIROCENTRODON BLEEKERIANA (Poey)

Pellona bleckeriana Poey, 1867:242; 1868:419; 1876:
148.

Hisha bleckeriana, Jordan & Evermann, 1896:436.

Cotypes: M. C. Z. 17845, seven specimens in such bad condition that no measurements could be made. No. Poey 537.

ENGRAULIDAE

ANCHOVIELLA

Anchoviella Fowler, 1911:211 (*Engraulis perfasciatus* Poey)

5. ENGRAULIS PERFASCIATUS Poey

= ANCHOVIELLA PERFASCIATA (Poey)

Engraulis perfasciatus Poey, 1860:312; 1861:385;
1868:422, 460; 1876:149.*Stolephorus perfasciatus*, Jordan & Evermann, 1896:
441.

Types: M. C. Z. 17955, nine specimens, 82 to 103 mm., among which the one 100 mm. long is the holotype. No. Poey 422.

6. ENGRAULIS CUBANUS Poey

= ANCHOVIELLA CUBANA (Poey)

Engraulis cubanus Poey, 1868:420, 460; 1876:149.*Stolephorus cubanus*, Jordan & Evermann, 1896:442.

Types: M. C. Z. 17958, four specimens, the largest of which is the holotype. No. Poey 23.

ANCHOVIA

Anchovia Jordan & Evermann, 1896:449 (*Engraulis microlepidotus* Kner & Steindachner)

7. ENGRAULIS PRODUCTUS Poey

= ANCHOVIA CLUPEOIDES (Swainson)

Engraulis productus Poey, 1866a:380; 1868:422;
1876:149.*Engraulis clupeioides* Swainson, 1839:388.*Stolephorus clupeioides*, Jordan & Evermann, 1896:447.*Stolephorus productus*, Jordan, & Evermann, 1896:447.

Types: M. C. Z. 17961, two specimens, the largest of which is the holotype. No. Poey 36.

CETENGRAULIS

Cetengraulis Günther, 1868:383 (*Engraulis edentulus* Cuvier)

8. ENGRAULIS BREVIS Poey

= CETENGRAULIS EDENTULUS (Cuvier)

Engraulis brevis Poey, 1866a:379; 1868:422.*Cetengraulis brevis*, Poey, 1876:148.*Engraulis edentulus* Cuvier, 1829:323.*Cetengraulis edentulus*, Jordan & Evermann, 1896:450.

Holotype: M. C. Z. 24296. No. Poey 716.

CONGRIDAE

CONGER

Conger Cuvier, 1817:231 (*Muraena conger* Linnaeus)

9. CONGER ESCULENTUS Poey

= CONGER CONGER Linnaeus.

Conger esculentus Poey, 1861:346, 385; 1867:246;
1868:424; 1876:151.

Muraena conger Linnaeus, 1758:245.

Leptocephalus conger, Jordan & Evermann, 1896:354.

Holotype: M. C. Z. 9328. No. Poey 581.

10. ECHELUS CAUDILIMBATUS Poey

= CONGER CAUDILIMBATUS (Poey)

Echelus caudilimbatus Poey, 1867:249, pl. 2, fig. 8.

Ophiosoma caudilimbatus, Poey, 1868:424.

Conger caudilimbatus, Poey, 1876:152.

Leptoconger caudilimbatus, Jordan & Evermann,
1896:355.

Holotype: M. C. Z. 9324. No. Poey 176.

ECHELIDAE

MYROPHIS

Myrophis Lütken, 1851:1 (*Myrophis punctatus* Lütken)

11. MYROPHIS MICROSTIGMIUS Poey

Myrophis microstigmus Poey, 1867:250, pl. 3, fig. 4;
1868:425; 1876:153.

Myrophis punctatus, Jordan & Evermann, 1896:371.

Holotype: M. C. Z. 33440. No. Poey 653. This species has long been considered a synonym of *Myrophis punctatus* Lütken, but it proves to be distinct (Rivero, 1934:341).

OPHICHTHYIDAE

MYRICHTHYS

Myrichthys Girard, 1859:58 (*Myrichthys tigrinus* Girard)

12. OPHISURUS LATEMACULATUS Poey

= MYRICHTHYS OCULATUS (Kaup)

Ophisurus latimaculatus Poey, 1867:252, pl. 3, fig. 1;
1868:425.

Pisodonophis latimaculatus, Poey, 1876:153.

Ophichthys latimaculatus, Poey, 1880:10.

Pisoodonophis oculus Kaup, 1856:22.

Myrichthys oculus, Jordan & Evermann, 1896:376.

Holotype: M. C. Z. 27223. No. Poey 606.

13. OPHISURUS LONGUS Poey

= MYRICHTHYS ACUMINATUS (Gronow)

Ophisurus longus Poey, 1867:254; 1868:425.

Pisodonophis longus, Poey, 1876:154.

Ophichthys longus, Poey, 1880:11.

Muraena acuminata Gronow, 1854:21.

Myrichthys acuminatus, Jordan & Evermann, 1896:
377.

Holotype: M. C. Z. 9155. No. Poey 180.

OPHICHTHUS

Ophichthus Ahl, 1787:5 (*Muraena ophis* Linnaeus)

14. OPHISURUS CHRYSOPS Poey

= OPHICHTHUS GOMESII (Castelnau)

Ophisurus chrysops Poey, 1861:321, 385.

Ophichthys chrysops, Poey, 1868:425; 1876:154.

Ophisurus gomesii Castelnau, 1855:84, pl. 44, fig. 2.

Ophichthus gomesii, Jordan & Evermann, 1896:384.

Holotype: M. C. Z. 27212. No. Poey 604.

MYSTRIOPHIS

Mystriophis Kaup, 1856:10 (*Ophisurus rostellatus* Richardson)

15. CONGER MORDAX Poey

= MYSTRIOPHIS INTERTINCTUS (Richardson)

Conger mordax Poey, 1860:319; 1861:385.

Macrodonophis mordax, Poey, 1867:252; 1868:425.

Crotalophis mordax, Poey, 1876:153.

Ophisurus intertinctus Richardson, 1844a:102.

Mystriophis intertinctus, Jordan & Evermann, 1896:
386.

Holotype: M. C. Z. 9220. No. Poey 339.

MURAENIDÆ

GYMNOTHORAX

Gymnothorax Bloch, 1795:83 (*Gymnothorax muraena* Bloch)

16. GYMNOTHORAX OBSCURATUS Poey

Gymnothorax obscuratus Poey, 1870b:320; 1876:159.

Lycodontis obscuratus, Jordan & Evermann, 1896:398.

Holotype: M. C. Z. 27217. No. Poey 736.

Type locality: Havana.

CHANNOMURAENA

Channomuraena Richardson, 1844a:96 (*Ichthyophis vittatus* Richardson)

17. CHANNOMURAENA CUBENSIS Poey

= CHANNOMURAENA VITTATA (Richardson)

Channomuraena cubensis Poey, 1867:266, pl. 3, fig. 6;
1868:428.

Ichthyophis vittatus Richardson, 1844b:114, pl. 53,
figs. 7-9.

Channomuraena vittata, Poey, 1876:160; Jordan &
Evermann, 1896:404.

Holotype: M. C. Z. 9191. No. Poey 230.

SYNODONTIDÆ

TRACHINOCEPHALUS

Trachinocephalus Gill, 1861:53 (*Saurus myops* Cuvier & Valenciennes)

18. SAURUS BREVIROSTRIS Poey

= TRACHINOCEPHALUS MYOPS (Forster)

Saurus brevirostris Poey, 1860:305; 1861:384.

Trachinocephalus brevirostris, Poey, 1868:415; 1876:
144.

Salmo myops Forster, in Bloch & Schneider, 1801:421.

Trachinocephalus myops, Poey, 1868:415; Jordan &
Evermann, 1896:533.

Holotype: M. C. Z. 6895. No. Poey 488.

SYNODUS

Synodus Gronow, 1777:449 (*Synodus snyodus* Linnaeus)

19. SAURUS SPIXIANUS Poey

= SYNODUS FOETENS (Linnaeus)

Saurus spixianus Poey, 1860:304; 1861:384.*Synodus spixianus*, Poey, 1868:413; 1876:144.*Salmo foetens* Linnaeus, 1766:513.*Synodus foetens*, Jordan & Evermann, 1896:538.

Holotype: M. C. Z. 6884. No. Poey 588.

SUDIDAE

SUDIS

Sudis Rafinesque, 1810a:60 (*Sudis hyalina* Rafinesque)

20. PARALEPIS INTERMEDIUS Poey

= SUDIS INTERMEDIUS (Poey)

Paralepis intermedius Poey, 1868:416; 1876:142.*Sudis intermedius*, Jordan & Evermann, 1896:600.

Holotype: M. C. Z. 32931. No. Poey 710.

Type locality: Matanzas.

MYCTOPHIDAE

DIAPHUS

Diaphus Eigenmann & Eigenmann, 1890:3 (*Scopelus engraulis* Günther)

21. MYCTOPHUM NOCTURNUM Poey

= DIAPHUS DUMERILLI (Bleeker)

Myctophum nocturnum Poey, 1861:426; 1868:416;
1876:145.*Collectia nocturna*, Jordan & Evermann, 1896:567.*Scopelus dumerilli* Bleeker, 1856:66.*Diaphus dumerilli*, Parr, 1928:126, fig. 23.

Holotype: M. C. Z. 6871. No. Poey 297.

CYPRINODONTIDAE

RIVULUS

Rivulus Poey, 1860:307 (*Rivulus cylindraceus* Poey)

22. RIVULUS CYLINDRACEUS Poey

Rivulus cylindraccus Poey, 1860:308; 1861:383; 1868:
412; 1876:140, pl. 8, fig. 4; 1880:5, pl. 5, fig. 4;

Jordan & Evermann, 1896:662; Myers, 1927:121.

Types: M. C. Z. 6423, the female being the holotype, the male paratype. Paratypes: M. C. Z. 6395. No. Poey 366.

Type locality: Arroyo Mordazo, near Habana.

CYPRINODON

Cyprinodon Lacépède, 1803b:486 (*Cyprinodon variegatus* Lacépède)

23. TRIFARCIUS FELICIANUS Poey

= CYPRINODON VARIEGATUS RIVERENDI (Poey)

Trifarcus felicianus Poey, 1868:412; 1876:140.

Trifarcus Riverendi Poey, 1856:306.

Cyprinodon felicianus, Jordan & Evermann, 1896:676.

Cotypes: M. C. Z. 6402 and 6410; in the first lot one specimen 49.4 mm. long; in the second 3 specimens 37-39.6 mm. No. Poey 719.

POECILIDAE

GAMBUSIA

Gambusia Poey, 1854:382 (*Gambusia punctata* Poey)

24. GAMBUSIA PUNCTATA Poey

Gambusia punctata Poey, 1854:384, pl. 31, fig. 18, pl. 32, fig. 5-9; 1861:383; 1868:410; 1876:140.

Jordan & Evermann, 1896:676; Hubbs, 1926:35.

Cotypes: M. C. Z. 6393-6394. All the specimens in the same bottle, 22 males and 39 females. No. Poey 505.

Type locality: Rio Almendares, near Habana.

25. GAMBUSIA PUNCTICULATA Poey

Gambusia puncticulata Poey, 1854:386, pl. 31, fig. 6-7; 1861:383; 1868:410; 1876:141; Jordan & Evermann, 1896:680; Hubbs, 1926:37.

Cotypes: M. C. Z. 6391, 6401, and 6397, 12 males and 24 females. No. Poey 510.

Type locality: Moats of the old city wall of Havana City.

GLARIDICHTHYS

Glaridichthys Garman, 1896:232 (*Girardinus uninotatus* Poey)

26. GIRARDINUS UNINOTATUS Poey

= GLARIDICHTHYS UNINOTATUS (Poey)

Girardinus unnotatus Poey, 1860:309; 1861:383;
1868:411; 1876:142.

Heterandria unnotata, Jordan & Evermann, 1896:687.

Glaridichthys unnotatus, Hubbs, 1926:59.

Cotypes: M. C. Z. 6406, four males and 21 females, M. C. Z. 6243, 2 males and 4 females, M. C. Z. 6405, 3 females. No. Poey 522.

Type locality: Rio Taco Taco, Pinar del Rio.

GIRARDINUS

Girardinus Poey, 1854:383 (*Girardinus metallicus* Poey)

27. GIRARDINUS METALLICUS Poey

Girardinus metallicus Poey, 1854:387, pl. 31, fig. 8-11;
1861:383; 1868:411; 1876:141; Hubbs, 1926:60.

Heterandria metallica, Jordan & Evermann, 1896:687.

Cotypes: M. C. Z. 6407, 1 male and 10 females, M. C. Z. 6414, 7 females, and 1412a, 1 male and 13 females. No. Poey 506.

Type locality: Brook in the Botanical Garden, Habana.

LIMIA

Limia Poey, 1854:388 (*Limia cubensis* Poey = *Poecilia vittata* Guichenot)

28. LIMIA CUBENSIS Poey

= LIMIA VITTATA (Guichenot)

Limia cubensis Poey, 1854:388, pl. 31, fig. 12-13, pl.
32, fig. 10-11; 1861:383; 1868:411; 1876:141;
1880:5.

Poecilia vittata Guichenot, in Ramon de la Sagra,
1853:146, pl. 5, fig. 1; Jordan & Evermann,
1896:692.

Limia vittata, Hubbs, 1926:75.

Cotypes: M. C. Z. 6404, 1 male and 4 females, M. C. Z. 6403, 18 males and 40 females. No. Poey 347.

Type locality: Moats of the old city wall of Havana.

29. LIMIA PAVONINA Poey

= LIMIA VITTATA (Guichenot)

Limia paronina Poey, 1876:142.

Poecilia paronina, Jordan & Evermann, 1896:692.

Poecilia vittata Guichenot, in Ramon de la Sagra,
1853:146, pl. 5, fig. 1; Jordan & Evermann,
1896:692.

Cotypes: M. C. Z. 6400, 2 males and 1 female. No. Poey 549.

BELONIDAE

STRONGYLURA

Strongylura Van Hasselt, 1824:374 (*Strongylura caudimaculata* Van Hasselt =
Belone strongylura Van Hasselt)

30. BELONE NOTATA Poey

= STRONGYLURA NOTATA (Poey)

Belone notata Poey, 1860:293; 1861:376; 1867:166;
1868:382; 1876:120.

Tylosurus notatus, Jordan & Evermann, 1896:710.

Holotype: M. C. Z. 32933. No. Poey 413.

TYLOSURUS

Tylosurus Cocco, 1829:18 (*Tylosurus contraini* Cocco = *Sphyraena acus*
Lacépède)

31. BELONE MELANOCHIRA Poey

= TYLOSURUS RAPHDOMA (Ranzani)

Belone melanochira Poey, 1860:294; 1861:376; 1868:
382; 1876:120.

Belone raphidoma Ranzani, 1842:359, pl. 37, fig. 1.

Tylosurus raphidoma, Jordan & Evermann, 1896:715.

Cotypes: M. C. Z. 624, 2 specimens 490 & 530 mm. No. Poey 541.

32. BELONE CRASSA Poey

= TYLOSURUS RAPHDOMA (Ranzani)

Belone crassa Poey, 1860:291; 1861:376; 1867:165;
1868:381; 1876:120.

Belone raphidoma Ranzani, 1842:359, pl. 37, fig. 1.

Tylosurus raphidoma, Jordan & Evermann, 1896:715.

Paratype: M. C. Z. 623; the largest of the three specimens mentioned in the original description, the median one, the holotype, missing. No. Poey 435.

33. BELONE LATIMANA Poey

= TYLOSURUS ACUS (Lacépède)

Belone latimana Poey, 1860:292; 1861:376; 1867:166;
1868:382; 1876:120.

Sphyraena acus Lacépède, 1803b:6, pl. 1, fig. 3.

Tylosurus acus, Jordan & Evermann, 1896:717.

Holotype: M. C. Z. 622. No. Poey 353.

HEMIRAMPHIDAE

EULEPTORHAMPHUS

Euleptorhamphus Gill, 1859b:156 (*Euleptorhamphus brevoorti* Gill)

34. EULEPTORHAMPHUS VELOX Poey

Euleptorhamphus velox Poey, 1868:383; 1876:121;
Jordan & Evermann, 1896:724.

Holotype: M. C. Z. 8779. No. Poey 722.

HYPORHAMPHUS

Hyporhamphus Gill, 1859a:131 (*Hyporhamphus tricuspidatus* Gill = *Hemirhamphus unifasciatus* Ranzani)

35. HEMIRHAMPHUS FASCIATUS Poey

= HYPORHAMPHUS UNIFASCIATUS (Ranzani)

Hemirhamphus fasciatus Poey, 1860:299; 1861:377;
1867:167.

Hemirhamphus poeyi, Poey, 1868:383; 1876:121.

Hemirhamphus unifasciatus Ranzani, 1842:326.

Hyporhamphus unifasciatus, Jordan & Evermann,
1896:720.

Cotypes: M. C. Z. 32934, 2 specimens. No. Poey 194.

Type locality: Habana Bay.

HEMIRAMPHUS

Hemiramphus Cuvier, 1817:186 (*Esox brasiliensis* Linnaeus)

36. HEMIRHAMPHUS FILAMENTOSUS Poey

= HEMIRAMPHUS BRASILIENSIS (Linnaeus)

Hemirhamphus filamentosus Poey, 1860:297; 1861:377.
1868:382; 1876:121.

Esox brasiliensis Linnaeus, 1758:314.

Hemiramphus brasiliensis, Jordan & Evermann,
1896:722.

Types: M. C. Z. 8775, the largest being the holotype, the other two paratypes, 290 & 320 mm. No. Poey 50.

BOTHIDAE

BOTHUS

Bothus Rafinesque, 1810a:23 (*Bothus rumulo* Rafinesque)

37. RHOMBOIDICHTHYS SPINOSUS Poey
 = BOTHUS OCELLATUS (Agassiz)
Rhomboidichthys spinosus Poey, 1868:409; 1876:139.
Platophrys spinosus, Jordan & Evermann, 1898:2662.
Rhombus ocellatus Agassiz, 1831:85, pl. 46.
Bothus ocellatus, Norman, 1934:222.
 Holotype: M. C. Z. 11345. No. Poey 669.

SYACIUM

Syacium Ranzani, 1840:20 (*Syacium micrurum* Ranzani)

38. HIPPOGLOSSUS OCELLATUS Poey
 = SYACIUM MICRURUM Ranzani
Hippoglossus ocellatus Poey, 1861:314, 385.
Hemirhombus ocellatus, Poey, 1868:407; 1876:138.
Syacium micrurum Ranzani, 1840:20, pl. 5; Jordan &
 Evermann, 1898:2672; Norman, 1934:132.
 Holotype: M. C. Z. 11188. Paratypes: M. C. Z. 11144, 11192, 11194.
 No. Poey 515.

CITHARICHTHYS

Citharichthys Bleeker, 1862a:427 (*Citharichthys cayennensis* Bleeker = *Citharichthys spilopterus* Günther)

39. HEMIRHOMBUS FUSCUS Poey
 = CITHARICHTHYS SPILOPTERUS Günther
Hemirhombus fuscus Poey, 1868:406; 1876:138.
Citharichthys spilopterus Günther, 1862:421; Jordan
 & Evermann, 1898:2685; Norman, 1934:149.
 Cotypes: M. C. Z. 11251. No. Poey 227.

POLYMIXIIDAE

POLYMIXIA

Polymixia Lowe, 1838:198 (*Polymixia nobilis* Lowe)

40. DINEMUS VENUSTUS Poey
 = POLYMIXIA LOWEI Günther.
Dinemus venustus Poey, 1860:161, pl. 14, fig. 1;
 1861:366.
Polymixia lowei Günther, 1859:17; Poey, 1868:297;
 1875:35; Jordan & Evermann, 1896:854.
 Cotypes: M. C. Z. 21812, 2 specimens 165 & 250 mm. No. Poey 160.

HOLOCENTRIDAE

OSTICHTHYS

Ostichthys Jordan & Evermann, 1896:846 (*Myripristis japonicus* Cuvier & Valenciennes)

41. MYRIOPRISTIS FULGENS Poey

= OSTICHTHYS TRACHYPOMUS (Günther)

Myripristis fulgens Poey, 1860:160; 1861:366.

Myripristis trachypoma Günther, 1859:25; Poey, 1868:301; 1875:38; Jordan & Evermann, 1896:846.

Cotypes: M. C. Z. 21910, 2 specimens, 180 & 190 mm. total length, No. Poey 296.

MYRIPRISTIS

Myripristis Cuvier, 1829:150 (*Myripristis jacobus* Cuvier & Valenciennes)

42. MYRIOPRISTIS LYCHNUS Poey

= MYRIPRISTIS JACOBUS Cuvier & Valenciennes

Myripristis lychnus Poey, 1860:159; 1861:366; 1868:301; 1875b:38.

Myripristis jacobus Cuvier & Valenciennes, 1829a:121; Poey, 1865:274; Jordan & Evermann, 1896:846.

Types: M. C. Z. 10982, 8 specimens, the holotype 206 mm., the paratype 150 mm. long. No. Poey 204.

HOLOCENTRUS

Holocentrus Bloch, 1790:61 (*Holocentrus sogo* Bloch)

43. HOLOCENTRUS MATEJUELO Poey

= HOLOCENTRUS ASCENSIONIS (Osbeck)

Holocentrus matejuelo Poey (not of Bloch and Schneider), 1860:155, pl. 13, fig. 13-14; 1861:366; 1868:298; 1875b:35.

Perca ascensionis Osbeck, 1765:388.

Holocentrum longipinnuc, Poey, 1865:274.

Holocentrus ascensionis, Jordan & Evermann, 1896:848.

Cotypes: M. C. Z. 21915-18; specimens 220 to 260 mm. No. Poey 26.

44. HOLOCENTRUM VEXILLARIUM Poey

= HOLOCENTRUS VEXILLARIUS (Poey)

Holocentrum vexillarium Poey, 1860:158; 1861:366;
1868:299; 1875b:37.

Holocentrus vexillarius, Jordan & Evermann, 1896:852.

Holotype: M. C. Z. 10935. No. Poey 303.

45. HOLOCENTRUM RIPARIUM Poey

= HOLOCENTRUS VEXILLARIUS (Poey)

Holocentrum riparium Poey, 1875b:37.

Holocentrus vexillarius, Jordan & Evermann, 1896:852.

Types: M. C. Z. 10934, the holotype being the largest of the four specimens. Paratypes: M. C. Z. 10936, 15 specimens, 43.5 to 60 mm. No. Poey 542.

46. HOLOCENTRUM PERLATUM Poey

= HOLOCENTRUS OSCULUS (Poey)

Holocentrum perlatum Poey, 1860:157; 1861:366;
1868:298; 1875b:36.

Holocentrum osculum, Poey, 1860:156.

Holocentrus osculus, Jordan & Evermann, 1896:853.

Holotype: M. C. Z. 10938. No. Poey 535.

FLAMMEO

Flammeo Jordan & Evermann, 1898:2871 (*Holocentrum marianus* Cuvier & Valenciennes)

47. HOLOCENTRUM ROSTRATUM Poey

= FLAMMEO MARIANUS (Cuvier & Valenciennes)

Holocentrum rostratum Poey, 1860:157; 1861:366;
1868:298; 1875b:38.

Holocentrum marianus Cuvier & Valenciennes, 1829a:
164.

Holocentrus marianus, Jordan & Evermann, 1896:852.

Flammeo marianus, Jordan & Evermann, 1898:2871.

Cotypes: M. C. Z. 10969, 2 specimens 143 & 150 mm. total length. No. Poey 446.

PLECTRYPOPS

Plectrypops Gill, 1862b:237 (*Holocentrum retrospinis* Guichenot)

48. HOLOCENTRUM PROSPINOSUM Poey

= PLECTRYPOPS RETROSPINIS (Guichenot)

Holocentrum prospinosum Poey, 1861:343.

Myriopristis prospinosum, Poey, 1861:366.

Plectrypops prospinosus, Poey, 1868:302; 1875b:38.

Holocentrum retropinis Guichenot, 1853:35; pl. 1,
fig. 3.

Plectrypops retropinis, Jordan & Evermann, 1896:
853.

Lectotype: M. C. Z. 21884. No. Poey 534. Species first described based on Guichenot's figure.

SYNGNATHIDAE

SYNGNATHUS

Syngnathus Linnaeus, 1758:336 (*Syngnathus acus* Linnaeus)

49. SYNGNATHUS BRACHYCEPHALUS Poey

Syngnathus brachycephalus Poey, 1868:444; 1876:375.

Siphostoma brachycephalum, Jordan & Evermann,
1896:769.

Types: M. C. Z. 11726; the male Holotype, the female Paratype.
No. Poey 685.

ATHERINIDAE

HEPSETIA

Hepsetia Bonaparte, 1837 (no pages) (*Atherina boyeri* Risso)

50. ATERINA LATICEPS Poey

= HEPSETIA STIPES (Müller & Troschel)

Atherina laticeps Poey, 1860:265; 1861:380; 1868:390;
1876:100; Jordan & Evermann, 1896:790.

Atherina stipes Müller & Troschel, 1847:671; Jordan
& Evermann, 1896:790.

Hepsetia stipes, Jordan & Hubbs, 1919:34.

Holotype: M. C. Z. 18227. Paratypes: M. C. Z. 18228, 17 specimens
50 to 68 mm.; M. C. Z. 18229, 4 specimens, 49 to 75 mm.; M. C. Z.
18230, 6 specimens, 65 to 80 mm. No. Poey 582.

MUGILIDAE

MUGIL

Mugil Artedi, in Linnaeus, 1758:316 (*Mugil cephalus* Linnaeus)

51. MUGIL LEBRANCHUS Poey

= MUGIL BRASILIENSIS Agassiz.

Mugil lebranchus Poey, 1860:260, pl. 18, fig. 3;
1861:379; 1868:388; 1876:98.

Mugil brasiliensis Agassiz, 1829:134, pl. 72; Jordan &
Evermann, 1897:810.

Cotypes: M. C. Z. 34160-61. Complete unmounted skeletons of
two specimens, about 540 and 640 mm. long. No. Poey 193.

Type locality: Cienfuegos, Sta. Clara Prov.

JOTURUS

Joturus Poey, 1860:263 (*Joturus pichardi* Poey)

52. JOTURUS PICHARDI Poey

Joturus pichardi Poey, 1860:263, pl. 18, fig. 4-5;
1861:380; 1868:390; 1876:99; Jordan & Ever-
mann, 1896:821.

Holotype: M. C. Z. 23886. No. Poey 518.

Type locality: Rio Almendares, near Habana.

SPHYRAENIDAE

SPHYRAENA

Sphyraena Röse, in Artedi, 1793:52 (*Esox sphyraena* Linnaeus)

53. SPHYRAENA PICUDILLA Poey

Sphyraena picudilla Poey, 1860:162; 1861:372; 1868:
359; 1876: 96; Jordan & Evermann, 1896-824.

Cotype: M. C. Z. 25967, specimen 365 mm. long. No. Poey 361.

GEMPYLIDAE

GEMPYLUS

Gempylus Cuvier & Valenciennes, 1831b:152 (*Gempylus serpens* Cuvier &
Valenciennes)

54. GEMPYLUS OPHIDIANUS Poey

=GEMPYLUS SERPENS Cuvier & Valenciennes

Gempylus ophidianus Poey, 1860:246, pl. 18, fig. 1;
1861:373.

Prometheus ofidianus, Poey, 1868:364.

Nealotus ophidianus, Poey, 1876:94.

Gempylus serpens Cuvier & Valenciennes, 1831b:152;
Jordan & Evermann, 1896:884.

Holotype: M. C. Z. 8586. No. Poey 408.

NOMEIDAE

NOMEUS

Nomeus Cuvier, 1817:315 (*Gobius gronovii* Gmelin)

55. NEMEUS OXYURUS Poey

= NOMEUS GRONOVII (Gmelin)

Nomeus oxyurus Poey, 1860:236; 1868:376; 1876:91.

Gobius gronovii Gmelin, 1788:1205.

Nomeus gronovii, Jordan & Evermann, 1896:949.

Types: M. C. Z. 16963, two specimens, the largest of which is the Holotype. No. Poey 492.

Type locality: Habana.

CARANGIDAE

HEMICARANX

Hemicaranx Bleeker, 1862b:135 (*Hemicaranx marginatus* Bleeker)

56. CARANX HETEROPYGUS Poey

= HEMICARANX AMBLYRHYNCHUS (Cuvier & Valenciennes)

Caranx heteropygus Poey, 1861:344, 373; 1867:164;
1875b:77.

Caranx amblyrhynchus Cuvier & Valenciennes, 1833:
76, pl. 248; Poey, 1866a:328.

Carangops amblyrhynchus, Poey, 1868:366.

Hemicaranx amblyrhynchus, Jordan & Evermann,
1896:912.

Holotype: M. C. Z. 17254. No. Poey 605.

Type locality: Habana.

ELAPHOTOXON

Elaphotoxon Fowler, 1905:76 (*Scomber ruber* Bloch)

57. CARANX CIBI Poey

= ELAPHOTOXON BARTHOLOMAEI (Cuvier & Valenciennes)

Caranx eibi Poey, 1860:224.

Carangoides eibi, Poey, 1866b:15; 1868:366; 1875b:76.

Caranx bartholomaei Cuvier & Valenciennes, 1833:75;
Jordan & Evermann, 1896:919.

Holotype: M. C. Z. 17252. No. Poey 540.

XUREL

Xurel Jordan & Evermann, 1927:505 (*Caranx vinctus* Jordan & Gilbert)

58. CARANX SECUNDUS Poey

= XUREL FASCIATUS (Cuvier & Valenciennes)

Caranx secundus Poey, 1860:223; 1861:373.

Carangops secundus Poey, 1866b:15; 1868:367; 1875b:78.

Caranx fasciatus Cuvier & Valenciennes, 1833:53.

Hemicaranx secundus, Jordan & Evermann, 1896:914.

Cotypes: M. C. Z. 16702-03, two specimens 335 and 385 mm. total length. No. Poey 186.

59. CARANX FRONTALIS Poey

= XUREL LUGUBRIS (Poey)

Caranx frontalis Poey, 1860:222; 1861:373.

Caranx lugubris Poey, 1860:222; 1861:373; Jordan & Evermann, 1896:924.

Carangus lugubris, Poey, 1868:365; 1875b:76.

Cotype: M. C. Z. 17348, specimen 470 mm. long. No. Poey 552.

HYNNIS

Hynniss Cuvier & Valenciennes, 1833:145 pl. 257 (*Hynniss gorensis* Cuvier & Valenciennes)

60. HYNINIS CUBENSIS Poey

Hynniss cubensis Poey, 1860:235; 1861:374; 1868:368; 1875b:79; Jordan & Evermann, 1896:932.

Type: M. C. Z. 34155, a complete unmounted skeleton, which, judging by its size and that of the specimen described (770 mm.), might be the holotype. No. Poey 457.

SERIOLIDAE

ELAGATIS

Elagatis Bennett, 1840:283 (*Seriola bipinnulata* Quoy & Gaimard)

61. SERIOLA PINNULATA Poey

= ELAGATIS BIPINNULATUS (Quoy & Gaimard)

Seriola pinnulata Poey, 1860:233.

Dcaapterus pinnulatus, Poey, 1861:374.

Elagatis pinnulatus, Poey, 1868:373.

Seriola bipinnulata Quoy & Gaimard, 1824:363, pl. 61,
fig. 3.

Elagatis bipinnulatus, Poey, 1875b:33; Jordan &
Evermann, 1896:906.

Cotypes: M. C. Z. 17228, 1 specimen 315 mm. long. No. Poey 349.

APOGONIDAE

APOGON

Apogon Lacépède, 1802:411 (*Apogon ruber* Lacépède = *Mullus imberbis* Linnaeus)

62. MONOPRION MACULATUS Poey

= APOGON MACULATUS (Poey)

Monoprion maculatus Poey, 1860:123; 1861:362;
1875b:34.

Amia maculata, Poey, 1867:235; 1868:304.

Apogon maculatus, Jordan & Evermann, 1896:1109.

Holotype: M. C. Z. 9745. Paratype: M. C. Z. 9755. No. Poey 436.

63. MONOPRION PIGMENTARIUS Poey

= APOGON PIGMENTARIUS (Poey)

Monoprion pigmentarius Poey, 1860:123; 1861:362;
1875b:35.

Amia pigmentaria, Poey, 1867:235; 1868:305.

Apogon pigmentarius, Jordan & Evermann, 1896:1109.

Type: M. C. Z. 9753, probably the holotype, specimen very much
dried up, with tip of tail broken. No. Poey 270.

64. AMIA BINOTATA Poey

= APOGON BINOTATUS (Poey)

Amia binotata Poey, 1867:234; 1868:305.

Monoprion binotatus, Poey, 1875b:35.

Apogon binotatus, Jordan & Evermann, 1896:1109.

Cotypes: M. C. Z. 9750, 3 specimens 48.5 to 52.5 mm. No. Poey 660.

APOGONICHTHYS

Apogonichthys Bleeker, 1854:321 (*Apogonichthys perdix* Bleeker)

65. APOGONICHTHYS PUNCTICULATUS Poey

Apogonichthys puncticulatus Poey, 1867:233; 1868:
305; 1875b:35; Jordan & Evermann, 1896:1111.

Holotype: M. C. Z. 9695. No. Poey 643.

CENTROPOMIDAE

CENTROPOMUS

Centropomus Lacépède, 1803a:248 (*Sciaena undecimalis* Bloch)

66. CENTROPOMUS APPENDICULATUS Poey

= CENTROPOMUS UNDECIMALIS (Bloch)

Centropomus appendiculatus Poey, 1860:119, pl. 13,
fig. 1; 1861:362; 1868:280; 1875b:32.

Sciaena undecimalis Bloch, 1792:60;

Centropomus undecimalis, Poey, 1865:194; Jordan &
Evermann, 1896:1119.

Cotypes: M. C. Z. 10274, specimen 230 mm. long; 10306, specimen
330 mm. long, and 34156, unmounted complete skeleton, about 540
mm. long. No. Poey 51.

67. CENTROPOMUS PEDIMACULA Poey

Centropomus pedimacula Poey, 1860:122, pl. 13, fig.
4-5; 1861:362; 1868:280; 1875b:33; Jordan &
Evermann, 1896:1119.

Holotype: M. C. Z. 10273. Paratype: M. C. Z. 10272. No. Poey 560.

Type locality: Cienfuegos, Sta. Clara Prov.

68. CENTROPOMUS PARALLELUS Poey

Centropomus parallelus Poey, 1860:120, pl. 13, fig.
2-3; 1861:362; 1868:280; 1875b:33; Jordan &
Evermann, 1896:1122.

Holotype: M. C. Z. 10271. No. Poey 134.

Type locality: Cienfuegos, Sta. Clara Prov.

69. CENTROPOMUS ENSIFERUS Poey

Centropomus ensiferus Poey, 1860:122, pl. 12, fig. 1;
1861:362; 1868:280; 1875b:33; Jordan & Ever-
mann, 1896:1125.

Cotypes: M. C. Z. 10299 and 10300, two specimens 260 and 310
mm. No. Poey 561.

EPINEPHELIDAE

PETROMETOPON

Petrometopon Gill, 1865:105 (*Perca guttatus* Poey = *Sparus cruentatus* Lacépède)

70. SERRANUS APIARIUS Poey

= PETROMETOPON CRUENTATUS (Lacépède)

- Serranus apiarius* Poey, 1860:143; 1861:364.
Petrometopon apiarius, Poey, 1868:288; 1875b:20.
Sparus cruentatus Lacépède, 1802:156.
Petrometopon cruentatus, Jordan & Evermann, 1896:
 1141.

Holotype: M. C. Z. 10158. No. Poey 210.

MENEPHORUS

Menephorus Poey, 1871:50 (*Serranus dubius* Poey)

71. MENEPHORUS PUNCTIFERUS Poey

- Menephorus punctiferus* Poey, 1875b:21.
Bodianus punctiferus, Jordan & Evermann, 1896:1147.

Holotype: M. C. Z. 10019. No. Poey 309.

EPINEPHELUS

Epinephelus Bloch, 1793:11 (*Epinephelus marginalis*)

72. SERRANUS MYSTACINUS Poey

= EPINEPHELUS MYSTACINUS (Poey)

- Serranus mystacinus* Poey, 1852:52, pl. 10, fig. 1;
 1861:364; 1867:154.

Schistorus mystacinus Poey, 1868:287; 1875b:18.

Epinephelus mystacinus, Jordan & Evermann, 1896:
 1151.

Holotype: M. C. Z. 9991. No. Poey 39.

73. SERRANUS CONSPERSUS Poey

= EPINEPHELUS NIVEATUS (Cuvier & Valenciennes)

Serranus conspersus Poey, 1860:139; 1861:364; 1867:
 157.

Serranus niveatus Cuvier & Valenciennes, 1828:285.

Epinephelus niveatus, Poey, 1868:286; 1875b:15;
 Jordan & Evermann, 1896:1156.

Cotypes: M. C. Z. 10161, three specimens, 112 to 180 mm. No.
 Poey 503.

PROMICROPS

Promicrops Gill, in Poey, 1868:287 (*Serranus guasa* Poey = *itaiara* Lichtenstein)

74. SERRANUS GUASA Poey

= PROMICROPS-ITALARA (Lichtenstein)

Serranus guasa Poey, 1860:141, pl. 13, fig. 8; 1861:354, 363; 1867:154.

Promicrops guasa Poey, 1868:287; 1875b:13.

Serranus itaiara Lichtenstein, 1821:278.

Promicrops guttatus, Jordan & Evermann, 1898:1162.

Type: M. C. Z. 34157, complete unmounted skeleton of paratype, specimen mentioned in *Memorias*, 1861:354 (720 mm.); besides there is a skull measuring 335 mm. No. Poey 138.

TRISOTROPIS

Trisotropis Gill, 1865:104 (*Johnius guttatus* Bloch & Schneider = *Perca venenosa* Linnaeus)

75. SERRANUS BONACI Poey

= TRISOTROPIS BONACI (Poey)

Serranus bonaci Poey, 1860:129; 1861:363; 1867:155.

Trisotropis bonaci Poey, 1868:283; 1870a:306; 1875b:13.

Mycterperca bonaci, Jordan & Evermann, 1896:1174.

Cotypes: M. C. Z. 10000 (2 spec.), 10032-34, 10195; 6 specimens, 98 to 358 mm. No. Poey 388.

76. SERRANUS BRUNNEUS Poey

= TRISOTROPIS BONACI (Poey)

Serranus brunneus Poey, 1860:131; 1861:363; 1867:156.

Trisotropis brunneus Poey, 1868:282; 1870a:305; 1875b:13.

Serranus bonaci Poey, 1860:121.

Mycterperca bonaci, Jordan & Evermann, 1896:1174.

Types: M. C. Z. 10184, 2 specimens, the largest of which is the holotype. No. Poey 208.

77. SERRANUS CYCLOPOMATUS Poey

= TRISOTROPIS BONACI (Poey)

Serranus cyclopomatus Poey, 1861:353, 363; 1867:156.

Trisotropis cyclopomatus Poey, 1868:284.

Trisotropis brunneus Poey, 1870a:305; 1875b:13.

Serranus bonaci Poey, 1860:121.

Mycterperca bonaci, Jordan & Evermann, 1896:1174.

Types: M. C. Z. 10180, 2 specimens, the largest the holotype, the other a paratype. No. Poey 517.

78. SERRANUS DIMIDIATUS Poey

= TRISOTROPIS DIMIDIATUS (Poey)

Serranus dimidiatus Poey, 1860:129; 1861:363.*Trisotropis dimidiatus*, Poey, 1868:285; 1870a:308;
1875b:14.*Mycteroperca dimidiata*, Jordan & Evermann, 1896:
1179.

Holotype: M. C. Z. 26953. No. Poey, 350.

MYCTEROPERCA

Mycteroperca Gill, 1862b:236 (*Serranus olfax* Jenyns)

79. SERRANUS FALCATUS Poey

= MYCTEROPERCA FALCATA (Poey)

Serranus falcatus Poey, 1860:138; 1861:363.*Trisotropis falcatus* Poey, 1868:285; 1870a:309; 1875b:
15; Jordan & Evermann, 1896:1184.Cotypes: M. C. Z. 10188, 10014, 10183, three specimens 270 to
405 mm.; M. C. Z. 34158, complete unmounted skeleton, about 630
mm. long. No. Poey 43.

80. MYCTEROPERCA CALLIURA Poey

Mycteroperca calliura Poey, 1865:181; 1866a:409.*Trisotropis calliurus* Poey, 1868:284; 1870a:309;
1875b:14.*Mycteroperca calliura*, Jordan & Evermann, 1896:
1186.

Cotype: M. C. Z. 10011, specimen 320 mm. long. No. Poey 65.

81. SERRANUS FELINUS Poey

= MYCTEROPERCA TIGRIS (Cuvier & Valenciennes)

Serranus felinus Poey, 1860:134; 1861:363; 1867:155.*Trisotropis felinus* Poey, 1868:283; 1870a:307.*Serranus tigris* Cuvier & Valenciennes, 1833:325.*Trisotropis tigris*, Poey, 1875b:14.*Mycteroperca tigris*, Jordan & Evermann, 1896:1187.

Holotype: M. C. Z. 10071. No. Poey 576.

82. SERRANUS REPANDUS Poey

= MYCTEROPERCA TIGRIS (Cuvier & Valenciennes)

Serranus repandus Poey, 1860:135; 1861:363; 1867:
155*Trisotropis felinus*, Poey, 1868:283.

Serranus tigris Cuvier & Valenciennes, 1833:325.

Trisotropis tigris, Poey, 1875b:14.

Mycteroperea tigris, Jordan & Evermann, 1896:1187.

Holotype: M. C. Z. 10076. No. Poey 568.

CHORISTISTIUM

Chorististium Gill, 1862a:15 (*Liopropoma rubre* Poey)

83. LIOPROPOMA RUBRE Poey

= CHORISTISTIUM RUBRUM (Poey)

Liopropoma rubre Poey, 1861:418.

Chorististium rubrum, Poey, 1868:291; 1875b:32;

Jordan & Evermann, 1896:1136.

Holotype: M. C. Z. 9691. No. Poey 417.

SERRANIDAE

PRIONODES

Prionodes Jenyns, 1842:46 (*Prionodes fasciatus* Jenyns)

84. CENTROPRISTES FUSCULUS Poey

= PRIONODES FUSCULUS (Poey)

Centropristes fuscus Poey, 1861:342, 365.

Haliperca fuscus, Poey, 1868:281; 1875b:22.

Prionodes fuscus, Jordan & Evermann, 1896:1211.

Holotype: M. C. Z. 10015. No. Poey 300

85. SERRANUS PHOEBE Poey

= PRIONODES PHOEBE (Poey)

Serranus phoebe Poey, 1852:55, pl. 2, fig. 3.

Centropristes phoebe, Poey, 1861:365.

Haliperca phoebe, Poey, 1868:281; 1875b:22.

Prionodes phoebe, Jordan & Evermann, 1896:1211.

Cotypes: M. C. Z. 36949, 200 mm. total length; 31437, 163 mm. total length. No. Poey 322.

86. SERRANUS JACOME Poey

= PRIONODES TABACARIA (Cuvier & Valenciennes)

Serranus jacome Poey, 1852:57, pl. 2, fig. 1.

Haliperca jacome, Poey, 1875b:22.

Centropristes tabacarius Cuvier & Valenciennes, 1829a:33; Poey, 1861:365.

Haliperca tabacaria, Poey, 1868:282.

Prionodes tabacarius, Jordan & Evermann, 1896:1215.

Cotypes: M. C. Z. 10008, 10067, two specimens 145 mm. long
No. Poey 216.

87. SERRANUS PRAESTIGIATOR Poey

= PRIONODES TIGRINUS (Bloch)

Serranus praestigiator Poey, 1852:58, pl. 2, fig. 2.

Haliperca praestigiator, Poey, 1868:282; 1875b:22.

Holocentrus tigrinus Bloch, 1790:77.

Serranus tigrinus, Poey, 1861:363.

Prionodes tigrinus, Jordan & Evermann, 1896:1214.

Holotype: M. C. Z. 10241. No. Poey 324.

HYPOPLECTRUS

Hypoplectrus Gill, 1862b:236 (*Plectropoma puella* Cuvier & Valenciennes =
variety of *Perca unicolor* Walbaum)

88. HYPOPLECTRUS MACULIFERUS Poey

= HYPOPLECTRUS UNICOLOR (Walbaum)

Hypoplectrus maculiferus Poey, 1871:78, pl. 1, fig. 2;
1875b:24.

Perca unicolor Walbaum, 1792:352.

Hypoplectrus unicolor, Jordan & Evermann, 1896:1192

Holotype: M. C. Z. 9783, specimen 120 mm. long. No. Poey 390.

89. HYPOPLECTRUS PINNIVARIA Poey

= HYPOPLECTRUS UNICOLOR PINNIVARIUS (Poey)

Hypoplectrus pinnivaria Poey, 1868:291; 1875b:24.

Hypoplectrus unicolor pinnivarius, Jordan & Ever-
mann, 1896:1192.

Holotype: M. C. Z. 34035. No. Poey 642.

90. PLECTROPOMA GUTTAVARIUM Poey

= HYPOPLECTRUS UNICOLOR GUTTAVARIUS (Poey)

Plectropoma guttarium Poey, 1852:70; 1854:441;
1861:364.

Hypoplectrus guttarium, Poey, 1868:291; 1875b:24,

Hypoplectrus unicolor pinnivarius, Jordan & Ever-
mann, 1896:1192.

Cotypes: M. C. Z. 9781, two specimens 123 & 130 mm. long. No.
Poey 323.

91. PLECTROPOMA NIGRICANS Poey

= HYPOPLECTRUS UNICOLOR NIGRICANS (Poey)

Plectropoma nigricans Poey, 1852:71; 1861:364.
Hypoplectrus nigricans, Poey, 1868:290; 1875b:24.
Hypoplectrus unicolor nigricans, Jordan & Evermann,
 1896:1193.

Holotype: M. C. Z. 34036. No. Poey 430.

92. PLECTROPOMA BOVINUM Poey

= HYPOPLECTRUS UNICOLOR BOVINUM (Poey)

Plectropoma bovinum Poey, 1852:69; 1861:364.
Hypoplectrus bovinus, Poey, 1868:290; 1875b:23.
Hypoplectrus unicolor bovinum, Jordan & Evermann,
 1896:1193.

Cotypes: M. C. Z. 9795, two specimens 125 & 132 mm. long. No. Poey 129.

PRIACANTHIDAE

PRIACANTHUS

Priacanthus Cuvier, 1817:281 (*Priacanthus macrophthalmus* Cuvier)

93. PRIACANTHUS CATALUFA Poey

= PRIACANTHUS ARENATUS Cuvier & Valenciennes

Priacanthus catalufa Poey, 1863:182; 1865:274; 1868:
 302; 1875b:38.

Priacanthus arenatus Cuvier & Valenciennes, 1829:75;
 Poey, 1865:274; Jordan & Evermann, 1896:1237.

Types: M. C. Z. 9766, three specimens, the one bearing Poey's original number label being the holotype. No. Poey 637.

PEMPHERIDAE

PEMPHERIS

Pempheris Cuvier, 1829:195 (*Kurtus argenteus* Bloch & Schneider = *Pempheris touea* Cuvier)

94. PEMPHERIS MÜLLERI Poey

Pempheris mülleri Poey, 1860:203; 1861:371; 1868:
 358; 1876:94; Jordan & Evermann, 1896:978.

Types: M. C. Z. 17318, two specimens, the larger of which is the holotype. No. Poey 415.

LUTIANIDAE

LUTIANUS

Lutianus Bloch, 1790:105 (*Lutianus lutianus* Bloch)

95. MESOPRION CAUDANOTATUS Poey

= LUTIANUS BUCCANELLA (Cuvier & Valenciennes)

Mesoprion caudanotatus Poey, 1854:440, pl. 3, fig. 3;
1861:365; 1867:158.

Mesoprion buccanella Cuvier & Valenciennes, 1828:
344; Poey, 1868:295.

Lutjanus buccanella, Poey, 1875b:27.

Neomenis buccanella, Jordan & Evermann, 1898:1261.

Cotypes: M. C. Z. 9804; 9823, 9870, 9932, 9888, from 150 to 260 mm.
No. Poey 217.

96. MESOPRION PROFUNDUS Poey

= LUTIANUS VIVANUS (Cuvier & Valenciennes)

Mesoprion profundus Poey, 1860:150; 1861:365; 1865:
267; 1867:157; 1868:294.

Lutjanus profundus, Poey, 1875b:28.

Mesoprion vivanus Cuvier & Valenciennes, 1828:343.

Neomenis vivanus, Jordan & Evermann, 1898:1262.

Cotypes: 9966, 9990, two specimens 340 & 415 mm. long. No. Poey
28.

97. MESOPRION CAMPECHANUS Poey

= LUTIANUS CAMPECHANUS (Poey)

Mesoprion campechanus Poey, 1860:149; 1861:365;
1868:294; 1875b:29.

Neomenis aya, Jordan & Evermann, 1898:1264.

Types: M. C. Z. 9982, two specimens the largest of which is the
holotype. No. Poey 71.

98. MESOPRION AMBIGUUS Poey

= LUTIANUS AMBIGUUS (Poey)

Mesoprion ambiguus Poey, 1860:152, pl. 12, fig. 4, pl.
13, fig. 18; 1861:365.

Ocyurus ambiguus, Poey, 1868:295.

Lutjanus ambiguus, Poey, 1875b:30.

Neomenis ambiguus, Jordan & Evermann, 1898:1272.

Holotype: M. C. Z. 9951. No. Poey 151.

99. MESOPRION OJANCO Poey

= LUTIANUS MAHOGONI (Cuvier & Valenciennes)

Mesoprion ojanco Poey, 1860:150, pl. 13, fig. 10; 1861:365; 1868:295.*Lutjanus ojanco*, Poey, 1875b:28.*Mesoprion mahogoni* Cuvier & Valenciennes, 1828:338.*Neomenis mahogoni*, Jordan & Evermann, 1898:1272.

Cotypes: M. C. Z. 9917, 9939, 9950, 9952, 8 specimens 220 to 320 mm. No. Poey 86.

RHOMBOPLITES

Rhomboplites Gill, 1862b:237 (*Centropristis aurorubens* Cuvier & Valenciennes)

100. MESOPRION ELEGANS Poey

= RHOMBOPLITES AURORUBENS (Cuvier & Valenciennes)

Mesoprion elegans Poey, 1860:153; 1861:365; 1867:158.*Rhomboplites elegans*, Poey, 1868:295; 1875b:31.*Centropristis aurorubens* Cuvier & Valenciennes, 1829a:34.*Rhomboplites aurorubens*, Jordan & Evermann, 1898:1277.

Cotypes: M. C. Z. 22138, 3 specimens 290 to 330 mm. No. Poey 273.

TROPIDIINIUS

Tropidinius Gill, 1868:296 (*Mesoprion arnillo* Poey = *Apsilus dentatus* Guichenot)

101. MESOPRION ARNILLO Poey

= TROPIDIINIUS DENTATUS (Guichenot)

Mesoprion arnillo Poey, 1860:154; 1861:365.*Tropidinius arnillo*, Poey, 1868:296; 1875b:30.*Apsilus dentatus* Guichenot, 1853:29, pl. 1 fig. 2; Jordan & Evermann, 1898:1278.

Types: M. C. Z. 9954, 2 specimens, the largest of which is the holotype. No. Poey, 142.

PRISTIPOMOIDES

Pristipomoides Bleeker, 1852:574 (*Pristipomoides typus* Bleeker)

102. MESOPRION VORAX Poey

= PRISTIPOMOIDES MACROPHTHALMIUS (Müller & Troschel)

Mesoprion vorax Poey, 1860:151; 1861:365.

Platyinius vorax, Poey, 1868:292; 1875b:31.

Centropristis macrophthalmus Müller & Troschel,
1848:666.

Aprion macrophthalmus, Jordan & Evermann, 1898:
1280.

Holotype: M. C. Z. 26479. No. Poey 472.

VERILIDAE

VERILUS

Verilus Poey, 1860:124 (*Verilus sordidus* Poey)

103. VERILUS SORDIDUS Poey

Verilus sordidus Poey, 1860:125, pl. 12, fig. 6; 1861:
362; 1868:291; 1875b:32; Jordan & Evermann,
1898:1284.

Holotype: M. C. Z. 21764. No. Poey 141.

HAEMULIDAE

HAEMULON

Haemulon Cuvier, 1829:175 (*Haemulon elegans* Cuvier = *Sparus sciurus* Shaw)

104. HAEMULON NOTATUM Poey

= HAEMULON BONARIENSIS Cuvier & Valenciennes

Haemulon notatum Poey, 1860:179; 1861:369; 1868:
317; 1875b:46.

Haemulon bonariensis Cuvier & Valenciennes, 1830a:
174; Jordan & Evermann, 1898:1297.

Cotype: M. C. Z. 10472, 288 mm. long. No. Poey 348.

105. HAEMULON CARBONARIUM Poey

Haemulon carbonarium Poey, 1860:176; 1861:369;
1868:318; 1875b:44; Jordan & Evermann, 1898:
1300.

Cotypes: M. C. Z. 10502, 3 specimens, 255 to 280 mm. No. Poey 367.

106. HAEMULON DORSALE Poey

= HAEMULON MELANURUM (Linnaeus)

Haemulon dorsale Poey, 1860:179; 1861:369; 1868:318; 1875b:44.

Perea melanura Linnaeus, 1758:292.

Haemulon melanurum, Jordan & Evermann, 1898:1302.

Cotype: M. C. Z. 10590, 205 mm. long. No. Poey 364.

107. HAEMULON LUTEUM Poey

= HAEMULON SCIURUS (Shaw)

Haemulon luteum Poey, 1860:174; 1861:354; 369; 1868:317; 1875b:44.

Sparus sciurus Shaw, 1803:439, pl. 64.

Haemulon seiurus, Jordan & Evermann, 1898:1303.

Cotype: M. C. Z. 1078a, 192 mm. long. No. Poey 511.

108. HAEMULON MULTILINEATUM Poey

= HAEMULON SCIURUS (Shaw)

Haemulon multilineatum Poey, 1860:178; 1861:369; 1868:318; 1875b:44.

Sparus seiurus Shaw, 1803:439, pl. 64.

Haemulon seiurus, Jordan & Evermann, 1898:1303.

Holotype: M. C. Z. 10478. No. Poey 376.

109. HAEMULON ARARA Poey

= HAEMULON PLUMIERI (Lacépède)

Haemulon arara Poey, 1860:177; 1861:369; 1868:318; 1875b:45.

Labrus plumieri Lacépède, 1802:480, pl. 2, fig. 2.

Haemulon plumieri, Jordan & Evermann, 1898:1304.

Holotype: M. C. Z. 10545, specimens very much dried up. No. Poey 291.

BRACHYGENYS

Brachygenys Scudder, in Poey, 1875b:47 (*Haemulon taeniatum* Poey = *Haemulon chrysargyreum* Günther)

110. HAEMULON TAENIATUM Poey

= BRACHYGENYS CHRYSARGYREUS (Günther)

Haemulon taeniatum Poey, 1860:182; 1861:369; 1868:319.

Brachygenys taeniata, Poey, 1875b:47.

Haemulon chrysargyreus Günther, 1859:314.

Brachygenys chrysargyreus, Jordan & Evermann, 1898:1307.

Types: M. C. Z. 10482, 3 specimens, the largest of which is the holotype. No. Poey 369.

BATHYSTOMA

Bathystoma Scudder in Putnam, 1863:12 (*Haemulon jeniguano* Poey = *Haemulon aurolineatum* Cuvier & Valenciennes)

111. HAEMULON JENIGUANO Poey

= BATHYSTOMA AUROLINEATUM (Cuvier & Valenciennes)

Haemulon jeniguano Poey, 1860:183; 1861:369; 1868:319; 1875b:47.

Haemulon aurolineatum Cuvier & Valenciennes, 1830a:176.

Bathystoma aurolineatum, Jordan & Evermann, 1898:1310.

Holotype: M. C. Z. 1080. No. Poey 420.

112. HAEMULON QUINQUELINEATUM Poey

= BATHYSTOMA STRIATUM (Linnaeus)

Haemulon quinquelineatum Poey, 1861:419; 1867:161.

Haemulon quadrilineatum Poey, 1868:319; 1875b:47.

Perca striata Linnaeus, 1758:293.

Bathystoma striatum, Jordan & Evermann, 1898:1310.

Holotype: M. C. Z. 10542. No. Poey 211.

ANISOTREMUS

Anisotremus Gill, 1861:105 (*Sparus virginicus* Linnaeus)

113. HAEMULON OBTUSUM Poey

= ANISOTREMUS SURINAMENSIS (Bloch)

Haemulon obtusum Poey, 1860:182; 1861:369.

Anisotremus obtusus, Poey, 1868:312; 1875b:43.

Lutjanus surinamensis Bloch, 1790:98.

Anisotremus surinamensis, Jordan & Evermann, 1898:1318.

Cotype: M. C. Z. 34159, complete unmounted skeleton, about 540 mm. long. No. Poey 170.

114. PRISTIPOMA SPLENIATUM Poey

= ANISOTREMUS SPLENIATUS (Poey)

Pristipoma spleniatum Poey, 1860:187.

Anisotremus spleniatum, Poey, 1861:368; 1875b:43; Jordan & Evermann, 1898:1321.

Cotype: M. C. Z. 21778, 65 mm. total length. No. Poey 49.

POMADASYS

Pomadasys Lacépède, 1803a:516 (*Sciaena argentea* Forskål)

115. PRISTIPOMA PRODUCTUM Poey

= POMADASYS PRODUCTUS (Poey)

Pristipoma productum Poey, 1860:186; 1861:368;
1868:311; 1875b:42.

Pomadasys productus, Jordan & Evermann, 1898:1332.

Cotype: M. C. Z. 21889, 245 mm. long. No. Poey 418.

RHONCISCUS

Rhonciscus Jordan & Evermann, 1895:387 (*Pristipoma croco* Cuvier & Valenciennes)

116. PRISTIPOMA CULTRIFERUM Poey

= RHONCISCUS CROCRO (Cuvier & Valenciennes)

Pristipoma cultriferum Poey, 1860:185; 1861:368;
1868:310; 1875b:41.

Pristipoma croco Cuvier & Valenciennes, 1830a:197.

Pomadasys croco, Jordan & Evermann, 1898:1333.

Cotypes: M. C. Z. 10594, 10592; 145 and 140 mm. No. Poey 84.

SPARIDAE

CALAMUS

Calamus Swainson, 1839:171, 221 (*Pagellus calamus* Cuvier & Valenciennes)

117. PAGELLUS ORBITARIUS Poey

= CALAMUS CALAMUS (Cuvier & Valenciennes)

Pagellus orbitarius Poey, 1860:201; 1861:367.

Sparus orbitarius, Poey, 1868:308.

Calamus orbitarius, Poey, 1872:179, pl. 6, fig. 2;
1875b:56.

Pagellus calamus Cuvier & Valenciennes, 1830b:152,
pl. 152.

Calamus calamus, Jordan & Evermann, 1898:1349.

Holotype: M. C. Z. 21849. No. Poey 149.

118. PAGELLUS CANINUS Poey

= CALAMUS BAJONADO (Bloch & Schneider)

Pagellus caninus Poey, 1860:199; 1861:367; 1867:160.
Sparus bajonado Bloch & Schneider, 1801:284; Poey,
 1868:308.

Calamus bajonado, Poey, 1872:176, pl. 6, fig. 1;
 - 1875b:55; Jordan & Evermann, 1898:1352.

Cotypes: M. C. Z. 21835, 21834, 390 and 430 mm. No. Poey 468.

119. CALAMUS MACROPS Poey

Calamus macrops Poey, 1872:181, pl. 7, fig. 3; 1875b:
 56; Jordan & Evermann, 1898:1354.

Holotype: M. C. Z. 21839. No. Poey 221.

120. PAGELLUS HUMILIS Poey

= CALAMUS PENNA (Cuvier & Valenciennes)

Pagellus humilis Poey, 1868:308.

Grammateus humilis, Poey, 1872:182; 1875b:56.

Pagellus penna Cuvier & Valenciennes, 1830b:154.

Calamus penna, Jordan & Evermann, 1898:1354.

Cotypes: M. C. Z. 21843-44, 195 & 185 mm. total length. No.
 Poey 288.

121. GRAMMATEUS MEDIUS Poey

= CALAMUS MEDIUS (Poey)

Grammateus medius Poey, 1872:183, pl. 7, fig. 4;
 1875b:56.

Calamus medius, Jordan & Evermann, 1898:1356.

Paratype: M. C. Z. 21842. No. Poey 192.

SALEMA

Salema Jordan & Evermann, 1895:390 (*Perca unimaculata* Bloch)

122. SARGUS CARIBAEUS Poey

= SALEMA RHOMBOIDALIS (Linnaeus)

Sargus caribacus Poey, 1860:197; 1861:367; 1868:309;
 1875b:56.

Perca rhomboidalis Linnaeus, 1758.

Archosargus unimaculatus, Jordan & Evermann,
 1898:1359.

Cotype: M. C. Z. 21713, 3 specimens 175 to 260 mm. No. Poey 571.
 Type locality: Batabano.

DIPLODUS

Diplodus Rafinesque, 1810b:54 (*Sparus annularis* Linnaeus)

123. SARGUS CAUDIMACULA Poey

= DIPLODUS ARGENTEUS (Cuvier & Valenciennes)

Sargus caudimacula Poey, 1860:198; 1861:367; 1868:
310; 1875b:57.

Sargus argenteus Cuvier & Valenciennes, 1830b:44.

Diplodus argenteus, Jordan & Evermann, 1898:1363.

Cotype: M. C. Z. 21715, 275 mm. long. No. Poey 589.

KYPHOSIDAE

KYPHOSUS

Kyphosus Lacépède, 1802:114 (*Kyphosus bigibbus* Lacépède = *fuscus* Lacépède)

124. PIMELEPTERUS FLAVO-LINEATUS Poey

= KYPHOSUS INCISOR (Cuvier & Valenciennes)

Pimelepterus flavo-lineatus Poey, 1866a:319; 1868:324;
1875b:65.

Pimelepterus incisor Cuvier & Valenciennes, 1831a:
198; Poey, 1866a:319.

Kyphosus incisor, Jordan & Evermann, 1898:1386.

Holotype: M. C. Z. 21712. No. Poey 371.

GERRIDAE

EUGERRES

Eugerres Jordan & Evermann, 1927:506 (*Gerres plumieri* Cuvier & Valenciennes)

125. GERRES PATAO Poey

= EUGERRES BRASILIANUS (Cuvier & Valenciennes)

Gerres patao Poey, 1860:192; 1868:320; 1875b:50.

Gerres brasilianus Cuvier & Valenciennes, 1830b:344,
458; Jordan & Evermann, 1898: 1378.

Cotype: M. C. Z. 23151, 290 mm. long. No. Poey 173.

MULLIDAE

UPENEUS

Upeneus Cuvier, 1829:157 (*Upeneus bifasciatus* Lacépède)

126. UPENEUS FLAVOVITTATUS Poey
 = UPENEUS MARTINICUS Cuvier & Valenciennes
Upeneus flavovittatus Poey, 1853:224, pl. 17, fig. 4;
 1861:367.
Mulloides flavovittatus, Poey, 1868:307; 1875b:34.
Upeneus martinicus Cuvier & Valenciennes, 1829a:
 356; Jordan & Evermann, 1896:859.
 Holotype: M. C. Z. 21819. No. Poey 281.

SCIAENIDAE

CORVULA

Corvula Jordan & Evermann, 1886:377 (*Johnius batabanus* Poey)

127. JOHNIUS BATABANUS Poey
 = CORVULA BATABANA (Poey)
Johnius batabanus Poey, 1860:184; 1861:370; 1868:
 324; 1875b:49.
Corvula batabana, Jordan & Evermann, 1898:1430.
 Cotype: M. C. Z. 10926-27, 21957, three specimens 184 to 228 mm.
 No. Poey 85.
 Type locality: Batabano, Havana Prov.

MALACANTHIDAE

CAULOLATILUS

Caulolatilus Gill, 1862b:240 (?*Latilus chrysops* Cuvier & Valenciennes)

128. CAULOLATILUS CYANOPS Poey
Caulolatilus cyanops Poey, 1866a:311, 312; 1868:330;
 1876:95; Jordan & Evermann, 1898:2278.
 Cotype: M. C. Z. 12826, 265 mm. long. No. Poey 412.

CHAETODONTIDAE

PROGNATHODES

Prognathodes Gill, 1862b:238 (*Chelmo pelta* Günther = *Chelmo aculeatus* Poey)

129. CHELMO ACULEATUS Poey
 = PROGNATHODES ACULEATUS (Poey)

Chelmo aculeatus Poey, 1860:202; 1861:371.

Prognathodes aculeatus, Poey, 1868:354; 1875b:63;

Jordan & Evermann, 1898:1671.

Holotype: M. C. Z. 16253. No. Poey 56.

Type locality: Matanzas.

CHAETODON

Chaetodon Linnaeus, 1758:272 (*Chaetodon capistratus* Linnaeus)

130. SAROTHRODUS AMPECTICOLLIS Poey

=CHAETODON BIMACULATUS Bloch

Sarothrodus ampecticollis Poey, 1868:353.

Sarothrodus amplexicollis, Poey, 1875b:63, pl. 7, fig.

1-3

Chaetodon bimaculatus Bloch, 1790, pl. 219, fig. 1;

Poey, 1861:371.

Sarothrodus bimaculatus, Poey, 1868:353; 1875b:62.

Chaetodon ocellatus, Jordan & Evermann, 1898:1674.

Holotype: M. C. Z. 16250. No. Poey 665.

131. CHAETODON SEDENTARIUS Poey

Chaetodon sedentarius Poey, 1860:203; 1861:371;

Jordan & Evermann, 1898:1675.

Sarothrodus sedentarius, Poey, 1868:354; 1875b:62.

Types: M. C. Z. 16198, two specimens the largest of which is the holotype. No. Poey 247.

Type locality: Cienfuegos, Sta Clara Prov.

132. SAROTHRODUS ATAENIATUS Poey

=CHAETODON ATAENIATUS (Poey)

Sarothrodus ataeniatus Poey, 1868:353; 1875b:63.

Chaetodon ataeniatus, Jordan & Evermann, 1898:1676.

Holotype: M. C. Z. 16251. No. Poey 250.

POMACANTHUS

Pomacanthus Lacépède, 1803a:517 (*Chaetodon arcuatus* Linnaeus)

133. CHAETODON LITTORICOLA Poey

=POMACANTHUS PARU (Bloch)

Chaetodon littoricola Poey, 1868:351; 1875b:60.

Chaetodon paru Bloch, 1787:57.

Pomacanthus arcuatus, Jordan & Evermann, 1898: 1679.

Pomacanthus paru, Jordan & Evermann, 1898:1680.

Types: M. C. Z. 16165, two specimens, the largest of which is the holotype. No. Poey 577.

ACANTHURIDAE

ACANTHURUS

Acanthurus Forskål, 1775:59 (*Chaetodon unicornis*), etc.

134. ACANTHURUS TRACTUS Poey

= ACANTHURUS BAHIANUS Castelnau

Acanthurus tractus Poey, 1860:208; 1861:372; 1868: 356; 1875b:67.

Acanthurus bahianus Castelnau, 1855:24, pl. 11, fig. 1.

Teuthis bahianus, Jordan & Evermann, 1898:1691.

Holotype: M. C. Z. 21856. No. Poey 447.

SCORPAENIDAE

SCORPAENA

Scorpaena (Artedi) Linnaeus, 1758:266 (*Scorpaena porcus* Linnaeus)

135. SCORPAENA RASCACIO Poey

= SCORPAENA PLUMIERI Bloch

Scorpaena rascacio Poey, 1860:169; 1861:366; 1868: 303; 1875b:40.

Scorpaena plumieri Bloch, 1798:234; Jordan & Evermann, 1898:1848.

Cotypes: M. C. Z. 13948-50, 13957, 4 specimens 165 to 305 mm. No. Poey 359.

136. SCORPAENA OCCIPITALIS Poey

= SCORPAENA INERMIS Cuvier & Valenciennes

Scorpaena occipitalis Poey, 1860:171; 1861:366; 1868: 303; 1875b:41.

Scorpaena inermis Cuvier & Valenciennes, 1829b:228; Jordan & Evermann, 1898:1853.

Types: M. C. Z. 13894, 5 specimens, the largest of which is the holotype. No. Poey 474.

PERISTEDIIDAE

VULSICULUS

Vulsiculus Jordan & Evermann, 1895:489 (*Peristedion imberbe* Poey)

137. PTERYSTEDION IMBERBE Poey

= VULSICULUS IMBERBE (Poey)

Pterystedion imberbe Poey, 1861:367, 389 (Note No. 25)

Peristedion imberbe, Poey, 1867:158; 1868:304, 462.

Peristedion micronemus Poey, 1870b:321.

Vulsiculus imberbis, Jordan & Evermann, 1898:2181.

Holotype: M. C. Z. 13566. No. Poey 523.

POMACENTRIDAE

FURCARIA

Furcaria Poey, 1860:194 (*Furcaria puncta* Poey = *Heliases multilineatus* Guichenot)

138. FURCARIA CYANEA Poey

Furcaria cyanea Poey, 1860:196, pl. 14, fig. 4; pl. 13, fig. 21-22; 1861:370; 1868:330; 1876:104.

Chromis cyaneus, Jordan & Evermann, 1898:1547.

Holotype: M. C. Z. 14670. No. Poey 460.

139. FURCARIA PUNCTA Poey

= FURCARIA MULTILINEATA (Guichenot)

Furcaria puncta Poey, 1860:195; 1861:370; 1867:161; 1868:329; 1876:104.

Heliases multilineatus Guichenot, 1853:76, pl. 2, fig. 2.

Chromis multilineatus, Jordan & Evermann, 1898:1547.

Holotype: M. C. Z. 14664. No. Poey 209.

EUPOMACENTRUS

Eupomacentrus Bleeker, 1877:73 (*Pomacentrus lividus* Bleeker)

140. POMACENTRUS XANTHURUS Poey

= EUPOMACENTRUS LEUCOSTICTUS (Müller & Troschel)

Pomacentrus xanthurus Poey, 1860:190; 1861:370; 1868:326; 1876:101.

Pomacentrus leucostictus Müller & Troschel, 1848:674.
Eupomacentrus leucostictus, Jordan & Evermann,
 1898:1555.

Cotypes: M. C. Z. 14677a, 3 specimens 90 to 108 mm. No. Poey 481.

141. POMACENTRUS CAUDALIS Poey

= EUPOMACENTRUS LEUCOSTICTUS (Müller & Troschel)

Pomacentrus caudalis Poey, 1868:328, 1876:102.

Pomacentrus leucostictus Müller & Troschel, 1848:674.
Eupomacentrus leucostictus, Jordan & Evermann,
 1898:1555.

Types: M. C. Z. 14682, 7 specimens from 18.5 to 48 mm., the largest of which is the holotype. No. Poey 546.

142. POMACENTRUS ANALIS Poey

= EUPOMACENTRUS ANALIS (Poey)

Pomacentrus analis Poey, 1868:327; 1876:101.

Eupomacentrus analis, Jordan & Evermann, 1898:
 1554.

Holotype: M. C. Z. 14678. No. Poey 587.

143. POMACENTRUS PARTITUS Poey

= EUPOMACENTRUS PARTITUS (Poey)

Pomacentrus partitus Poey, 1868:327; 1876:102.

Eupomacentrus partitus, Jordan & Evermann, 1898:
 1558.

Holotype: M. C. Z. 14680. No. Poey 702.

144. POMACENTRUS OBSCURATUS Poey

= EUPOMACENTRUS ADUSTUS (Troschel)

Pomacentrus obscuratus Poey, 1876:101.

Pomacentrus adustus Troschel, 1865:633.

Eupomacentrus adustus, Jordan & Evermann, 1898:
 1551.

Types: M. C. Z. 14681, 4 specimens, the largest of which is the holotype. No. Poey 586.

STEGASTES

Stegastes Jenyns, 1842:63 (*Stegastes imbricatus* Jenyns)

145. POMACENTRUS DENEGATUS Poey

= STEGASTES CHIRYSURUS (Cuvier & Valenciennes)

Pomacentrus denegatus Poey, 1860:190; 1861:370.

Glyphisodon chrysurus Cuvier & Valenciennes, 1830a:356.

Microspathodon chrysurus, Poey, 1868:329; 1876:103;
Jordan & Evermann, 1898:1567.

Cotypes: M. C. Z. 14672, 14675, two specimens 135 & 142 mm.
No. Poey 391.

LABRIDAE

BODIANUS

Bodianus Bloch, 1790:31, 33 (*Bodianus bodianus* Bloch = *Labrus rufus* Linnaeus)

146. *COSSYPHUS PULCHELLUS* Poey
= *BODIANUS PULCHELLUS* (Poey)

Cossyphus pulchellus Poey, 1860:208; 1861:378.

Bodianus pulchellus, Poey, 1868:332, 459; 1876:105.

Harpe pulchella, Jordan & Evermann, 1898:1584.

Holotype: M. C. Z. 14292. No. Poey 419.

DECODON

Decodon Günther, 1862:101 (*Cossyphus puellaris* Poey)

147. *COSSYPHUS PUELLARIS* Poey
= *DECODON PUELLARIS* (Poey)

Cossyphus puellaris Poey, 1860:210; 1861:378.

Decodon puellaris, Poey, 1868:332; 1876:107; Jordan
& Evermann, 1898:1584.

Types: M. C. Z. 14339, two specimens, the largest of which is the
holotype. No. Poey 385.

CORIDAE

IRIDIO

Iridio Jordan & Evermann, 1895:412 (*Julis dimidiotus* Agassiz = *Labrus cyanocephalus* Bloch)

148. *JULIS HUMERALIS* Poey
= *IRIDIO BIVITTATA* (Bloch)

Julis humeralis Poey, 1860:212; 1861:378.

Choerophilis humeralis, Poey, 1868:335; 1876:108.

Labrus bivittatus Bloch, 1791:133.

Iridio bivittatus, Jordan & Evermann, 1898:1595.

Types: M. C. Z. 14200, 3 specimens, the largest of which is the
holotype. No. Poey 397.

149. JULIS INTERNASALIS Poey

= IRIDIO CYANOCEPHALUS (Bloch)

Julis internasalis Poey, 1861:421.*Choerojulis internasalis*, Poey, 1868:334; 1876:108.*Labrus cyanocephalus* Bloch, 1791:139.*Iridio cyanocephalus*, Jordan & Evermann, 1898:1594.

Cotypes: M. C. Z. 14252, 3 specimens 210 to 245 mm. No. Poey 258.

150. JULIS CINCTUS Poey

= IRIDIO GARNOTI (Cuvier & Valenciennes)

Julis cinctus Poey, 1860:211, pl. 13, fig. 19; 1861:378.*Choerojulis cinctus*, Poey, 1868:334; 1876:108.*Julis garnoti*, Cuvier & Valenciennes, 1839a:285.*Iridio garnoti*, Jordan & Evermann, 1898:1593.

Holotype: M. C. Z. 14265. No. Poey 338.

151. JULIS RUPTUS Poey

= IRIDIO GARNOTI (Cuvier & Valenciennes)

Julis ruptus Poey, 1860:212, pl. 13, fig. 20; 1861:378.*Choerojulis ruptus*, Poey, 1868:334.*Choerojulis cinctus*, Poey, 1876:108.*Julis garnoti*, Cuvier & Valenciennes, 1839a:285.*Iridio garnoti*, Jordan & Evermann, 1898:1593.

Holotype: M. C. Z. 14284. No. Poey 275.

SPARISOMIDAE

CRYPTOTOMUS

Cryptotomus Cope, 1870:452 (*Cryptotomus roseus* Cope)

152. CALLIODON RETRACTUS Poey

= CRYPTOTOMUS RETRACTUS (Poey)

Calliodon retractus Poey, 1868:345; 1876:116.*Cryptotomus retractus*, Jordan & Evermann, 1898:
1623.

Holotype: M. C. Z. 14461. No. Poey 558.

SPARISOMA

Sparisoma Swainson, 1839:227 (*Scarus abilgardii* Bloch)

153. SCARUS LACRIMOSUS Poey

= SPARISOMA RADIANS (Cuvier & Valenciennes)

Scarus lacrimosus Poey, 1861:422; 1868:343; 1876:113.

Scarus radians, Cuvier & Valenciennes, 1839b:153.

Sparisoma radians, Jordan & Evermann, 1898:1631.

Holotype: M. C. Z. 14538. No. Poey 632.

154. SCARUS MINIOFRENATUS Poey

= SPARISOMA AUROFRENATUM (Cuvier & Valenciennes)

Scarus miniofrenatus Poey, 1861:379, 393 (Note No. 61); 1867:164; 1868:337; 1876:111.

Scarus aurofrenatus, Cuvier & Valenciennes, 1839b:142; Poey, 1866a:374.

Sparisoma aurofrenatum, Jordan & Evermann, 1898:1634.

Neotypus: M. C. Z. 14545, 14547, 14550, three specimens, 225 to 227 mm. Although the name given by Poey was a substitute for that of Cuvier, these specimens were sent labeled as *miniofrenatus* by Poey. No measurements have ever been given. No. Poey 365.

155. SCARUS DISTINCTUS Poey

= SPARISOMA DISTINCTUM (Poey)

Scarus distinctus Poey, 1861:423; 1867:163; 1868:341; 1876:114.

Sparisoma distinctum, Jordan & Evermann, 1898:1635.

Cotypes: M. C. Z. 14513, 14540, 14544, 200 to 250 mm. No. Poey 333.

156. SCARUS LATERALIS Poey

= SPARISOMA CHRYSOPTERUM (Bloch & Schneider)

Scarus lateralis Poey, 1860:219; 1861:379; 1867:162; 1868:337; 1876:112.

Scarus chrysopterus Bloch & Schneider, 1801:286; pl. 57; Poey, 1866:373, 375.

Sparisoma chrysoptercum, Jordan & Evermann, 1898:1636.

Holotype: M. C. Z. 14520. No. Poey 462.

157. SCARUS SQUALIDUS Poey

= SPARISOMA FLAVESCENS (Bloch & Schneider)

Scarus squalidus Poey, 1860:218; 1861:379; 1868:338.

Scarus flavescens Bloch & Schneider, 1801:290; Poey, 1876:113.

Sparisoma flarescens, Jordan & Evermann, 1898:
1639.

Cotypes: M. C. Z. 14519, 14522. two specimens, 320 & 360 mm.
long. No. Poey 463.

158. SCARUS CIRCUMNOTATUS Poey

= SPARISOMA RUBRIPINNE (Cuvier & Valenciennes)

Scarus circumnotatus Poey, 1861:423; 1868:340;
1876:114.

Scarus rubripinne Cuvier & Valenciennes, 1839b:147;
Poey, 1866a:374.

Sparisoma rubripinne, Jordan & Evermann, 1898:
1640.

Holotype: M. C. Z. 14512. No. Poey 279.

159. SCARUS BRACHIALIS Poey

= SPARISOMA BRACHIALE (Poey)

Scarus brachialis Poey, 1861:345,379; 1868:337; 1876:
113.

Sparisoma brachiale, Jordan & Evermann, 1898:1641.

Holotype: M. C. Z. 14555. No. Poey 607.

SCARIDAE

SCARUS

Scarus Forskål, 1775:25 (*Scarus croicensis* Bloch)

160. PSEUDOSCARUS GNATHODUS Poey

= SCARUS GNATHODUS (Poey)

Pseudoscarus gnathodus Poey, 1867:240; 1868:350;
1876:119.

Scarus gnathodus, Jordan & Evermann, 1898:1650.

Cotype: M. C. Z. 14578, 270 mm. long. No. Poey 608.

161. PSEUDOSCARUS LINEOLATUS Poey

= SCARUS CROICENSIS Bloch

Pseudoscarus lineolatus Poey, 1867:240; 1868:350;
1876:119.

Scarus croicensis Bloch, 1790:27; Jordan & Evermann,
1898:1650.

Cotypes: M. C. Z. 31448, 14565, 182 & 185 mm. total length. No.
Poey 282.

ELEOTRIDAE

DORMITATOR

Dormitator Gill, 1862b:240 (*Dormitator gundlachi* Poey)

162. ELEOTRIS OMOCYANEUS Poey

= DORMITATOR MACULATUS (Bloch)

Elcotris omocyaneus Poey, 1860:269; 1861:381; 1867:
167.

Dormitator omocyaneus, Poey, 1868:396; 1876:128.

Sciaena maculata Bloch, 1785, pl. 299, fig. 2.

Dormitator maculatus, Jordan & Evermann, 1898:
2196.

Holotype: M. C. Z. 13372, male; paratype: M. C. Z. 13371, female.
No. Poey 298.

163. ELEOTRIS GUNDLACHI Poey

= DORMITATOR MACULATUS (Bloch)

Elcotris gundlachi Poey, 1860:272; 1861:381.

Dormitator gundlachi, Poey, 1868:396; 1876:128.

Sciaena maculata Bloch, 1785, pl. 299, fig. 2.

Dormitator maculatus, Jordan & Evermann, 1898:
2196.

Paratype: M. C. Z. 13374, 200 mm. long. No. Poey 553.

EROTELIS

Erotelis Poey, 1860:273 (*Erotelis valenciennesi* Poey = *Erotelis smaragdus*
Cuvier & Valenciennes)

164. EROTELIS VALENCIENNESI Poey

= EROTELIS SMARAGDUS (Cuvier & Valenciennes)

Erotelis valenciennesi Poey, 1860:273; 1861:381;
1868:396; 1876:127.

Elcotris smaragdus Cuvier & Valenciennes, 1837b:173.

Erotelis smaragdus, Jordan & Evermann, 1898:2204.

Holotype: M. C. Z. 12567. No. Poey 203.

GOBIIDAE

BATHYGOBIUS

Bathygobius Bleeker, 1878:54 (*Gobius nebulo-punctatus* Rüppell = *Gobius fuscus*
Rüppell)

165. GObIUS MAPO Poey

= BATHYGOBIUS SOPORATOR (Cuvier & Valenciennes)

Gobius mapo Poey, 1860:277; 1861:380; 1868:392.*Gobius soporator* Cuvier & Valenciennes, 1837b:42;

Poey 1876:124; Jordan & Evermann, 1898:2216.

Types: M. C. Z. 13116, 13117; both numbers in the same bottle. five specimens from 46 to 110 mm., the largest of which is the holotype, No. Poey 498.

166. GObIUS LACERTUS Poey

= BATHYGOBIUS SOPORATOR (Cuvier & Valenciennes)

Gobius lacertus Poey, 1860:278; 1861:380; 1867:167;

1868:392; 1876:125.

Gobius soporator Cuvier & Valenciennes, 1837b:42;

Poey, 1876:124; Jordan & Evermann, 1898:2216.

Types: M. C. Z. 13114, 9 specimens from 40 to 92 mm., the largest of which is the holotype. No. Poey 583.

167. GObIUS BRUNNEUS Poey

= BATHYGOBIUS SOPORATOR (Cuvier & Valenciennes)

Gobius brunneus Poey, 1868:393; 1876:125.*Gobius soporator* Cuvier & Valenciennes, 1837b:42;

Poey 1876:124; Jordan & Evermann, 1898:2216.

Types: M. C. Z. 13110, two specimens, of which the largest is the holotype. No. Poey 650.

GObIONELLUS

Gobionellus Girard, 1858:168 (*Gobionellus hastatus* Girard)

168. SMARAGDUS COSTALESI Poey

= GObIONELLUS LYRICUS (Girard)

Smaragdus costalesi Poey, 1860:280; 1861:380.*Gobionellus costalesi*, Poey, 1868:394; 1876:126.*Gobius lyricus* Girard, 1858:169; Jordan & Evermann,

1898:2224.

Holotype: M. C. Z. 13109. No. Poey 613.

Type locality: Rio Almendares, near Puentes Grandes, Habana.

169. SMARAGDUS STIGMATICUS Poey

= GObIONELLUS STIGMATICUS (Poey)

Smaragdus stigmaticus Poey, 1860:281; 1861:380.*Gobionellus stigmaticus*, Poey, 1868:294; 1876:126.*Gobius stigmaticus*, Jordan & Evermann, 1898:2224.

Holotype: M. C. Z. 13104. No. Poey 289.

CHONOPHORUS

Chonophorus Poey, 1860:274 (*Chonophorus bucculentus* Poey = *Gobius banana* Cuvier & Valenciennes)

170. CHONOPHORUS BUCCULENTUS Poey

= CHONOPHORUS BANANA (Cuvier & Valenciennes)

Chonophorus bucculentus Poey, 1860:275; 1861:381.

Rhinogobius bucculentus, Poey, 1868:394; 1876:125.

Gobius banana, Cuvier & Valenciennes, 1837b:78.

Awaous taiasica, Jordan & Evermann, 1898:2236.

Cotypes: M. C. Z. 13330, 13379-80, 3 specimens, 290 to 330 mm. No. Poey 441.

171. CHONOPHORUS CONTRACTUS Poey

= CHONOPHORUS BANANA (Cuvier & Valenciennes)

Chonophorus contractus Poey, 1861:424.

Rhinogobius contractus, Poey, 1870:322; 1876:125.

Gobius banana, Cuvier & Valenciennes, 1837b:78.

Awaous taiasica, Jordan & Evermann, 1898:2236.

Holotype: M. C. Z. 31220. No. Poey 471.

MICROGOBIUS

Microgobius Poey, 1876:126 (*Microgobius signatus* Poey)

172. MICROGOBIUS SIGNATUS Poey

Microgobius signatus Poey, 1876:127, pl. 5, fig. 3;

Jordan & Evermann, 1898:2246.

Types: M. C. Z. 13127, 3 specimens, the largest of which is the holotype, the other two paratypes. No. Poey 513.

SICYDIUM

Sicydium Cuvier & Valenciennes, 1837b:126 (*Gobius plumieri* Bloch)

173. SICYDIUM SIRAGUS Poey

= SICYDIUM PLUMIERI (Bloch)

Sicydium siragus Poey, 1860:278; 1861:380; 1868:395;
1876:124.

Gobius plumieri Bloch, 1786:125, pl. 178, fig. 3.

Sicydium plumieri, Jordan & Evermann, 1898:2206.

Cotypes: M. C. Z. 13328, 2 specimens 36 & 38 mm. long. No. Poey 574.

Type locality: Santiago de Cuba.

GOBIOIDIDAE

GOBIOIDES

Gobioides Lacépède, 1800:580 (*Gobioides broussonnetii* Lacépède)

174. GOBIOIDES BARRETO Poey

= GOBIOIDES BROUSSONNETII Lacépède

Gobioides barreto Poey, 1860:282; 1861:380; 1868:394;
1876:125.

Gobioides broussonnetii, Lacépède, 1800:580; Poey,
1866a:335; Jordan & Evermann, 1898:2263.

Holotype: M. C. Z. 13246. No. Poey 294.

ECHENEIDAE

ECHENEIS

Echeneis Linnaeus, 1758:261 (*Echeneis naucrates* Linnaeus)

175. ECHENEIS VERTICALIS Poey

= ECHENEIS NAUCRATES Linnaeus

Echeneis verticilis Poey, 1860:253; 1861:376.

Echeneis naucrates Linnaeus, 1758:261; Jordan &
Evermann, 1898:2269.

Leptecheneis naucrates, Poey, 1868:376; 1875b:90.

Paratype: M. C. Z. 8709, the specimen he mentions as having 22
laminae in the disc. No. Poey 390.

RHOMBOCHIRUS

Rhombochirus Gill, 1863a:88 (*Echeneis osteochir* Cuvier)

176. ECHENEIS TETRAPTURORUM Poey

= RHOMBOCHIRUS OSTEOCHIR (Cuvier)

Echeucis tetrapturorum Poey, 1860:256, pl. 18, fig. 2;
1861:376.

Rhombochirus tetrapturorum, Poey, 1868:377; 1876:89.

Echeneis osteochir Cuvier, 1829:348.

Rhombochirus osteochir, Jordan & Evermann, 1898:
2273.

Holotype: M. C. Z. 8652. Paratypes: M. C. Z. 21805, 27228, 27229.
No. Poey 130.

OPISTHOGNATHIDAE

GNATHYPOPS

Gnathypops Gill, 1862b:241 (*Opisthognathus maxillosus* Poey)

177. OPISTHOGNATHUS MACROPS Poey

= GNATHYPOPS MACROPS (Poey)

Opisthognathus macrops Poey, 1860:287; 1861:382.

Gnathypops macrops, Poey, 1868:400; 1876:133;

Jordan & Evermann, 1898:2284.

Holotype: M. C. Z. 12514. No. Poey 485.

LONCHOPISTHUS

Lonchopisthus Gill, 1862b:241 (*Opisthognathus micrognathus* Poey)

178. OPISTHOGNATHUS MICROGNATHUS Poey

= LONCHOPISTHUS MICROGNATHUS (Poey)

Opisthognathus micrognathus Poey, 1860:287; 1861:
382.

Lonchopisthus micrognathus, Poey, 1868:400; 1876:
134; Jordan & Evermann, 1898:2287.

Cotypes: M. C. Z. 12515, 12517, 2 specimens 90 & 125 mm. long.
No. Poey 357.

CLINIDAE

MALACOTENUS

Malacotenus Gill, 1860:103 (*Clinus delalandi* Cuvier & Valenciennes)

179. MYXODES MACROPUS Poey

= MALACOTENUS MACROPUS (Poey)

Myxodes macropus Poey, 1868:399; 1876:131.

Malacotenus macropus, Jordan & Evermann, 1898:
2357.

Types: M. C. Z. 12511, 2 specimens, the larger of which is the holotype. No. Poey 285.

BLENNIIDAE

BLENNIUS

Blennius Linnaeus, 1758:256 (*Blennius galerita* Linnaeus)

180. BLENNIUS VINCTUS Poey

Blennius vinctus Poey, 1867:243; 1868:397; 1876:129;
Jordan & Evermann, 1898:2382.

Holotype: M. C. Z. 12647. No. Poey 616.

ENTOMACRODUS

Entomacrodus Gill, 1859c:168 (*Entomacrodus nigricans* Gill)

181. SALARIAS MARGARITACEUS Poey

= ENTOMACRODUS MARGARITACEUS (Poey)

Salaria margaritaceus Poey, 1860:289; 1861:381;
1876:132.

Entomacrodus margaritaceus, Poey, 1868:397; Jordan
& Evermann, 1898:2398.

Types: M. C. Z. 12513, 3 specimens, the largest of which is the holotype. No. Poey 615.

BROTULIDAE

STYGICOLA

Stygicola Gill, 1863b:252 (*Lucifuga dentatus* Poey)

182. LUCIFUGA DENTATUS Poey

= STYGICOLA DENTATA (Poey)

Lucifuga dentatus Poey, 1860:102, pl. 9, fig. 1, pl. 10,
figs. 5-6, 9, pl. 11, figs. 6-8, 15, 17; 1865:113.

Stygicola dentatus, Poey, 1868:401; 1876:137; Jordan
& Evermann, 1898:2500.

Holotype: M. C. Z. 32329. No. Poey 255.

OPHIDIIDAE

OTOPHIDIUM

Otophidium Gill, 1885:914 (*Genypterus omostigma* Jordan & Gilbert)

183. OPHIDIUM GRAËLLSI Poey

= OTOPHIDIUM GRAËLLSI (Poey)

Ophidium graëllsi Poey, 1861:425, 1868:402; 1876:137.

Ophidion graëllsi, Jordan & Evermann, 1898:2488.

Holotype: M. C. Z. 12440. No. Poey 480.

GOBIESOCIDAE

SICYASES

Sicyases Müller & Troschel, 1843:298 (*Sicyases sanguineus*)

184. SICYASES RUBIGINOSUS Poey

Sicyases rubiginosus Poey, 1868:391; 1876:124.

Gobicsox rubiginosus, Jordan & Evermann, 1898:2337.

Holotype: M. C. Z. 12923. No. Poey 4.

185. SICYASES CARNEUS Poey

Sicyases carneus Poey, 1868:392; 1876:124.

Gobicsox carneus, Jordan & Evermann, 1898:2337.

Cotypes: M. C. Z. 12925, 8 specimens 16 to 24.5 mm.; no measurements were given in the original description. No. Poey 676.

BALISTIDAE

XANTHICHTHYS

Xanthichthys Kaup, in Richardson, 1856:313 (*Balistes curassavicus* Gmelin)

186. BALISTES CICATRICOSUS Poey

= XANTHICHTHYS RINGENS (Linnaeus)

Balistes cicatricosus Poey, 1861:327, 361; 1863:181;
1867:171.

Xanthichthys cicatricosus, Poey, 1868:435.

Balistes ringens Linnaeus, 1758:329.

Xanthichthys ringens, Poey, 1876:164; Jordan & Evermann, 1898:1709.

Holotype: M. C. Z. 11953. No. Poey 97.

ANTENNARIDAE

ANTENNARIUS

Antennarius Lacépède, 1798:421 (*Antennarius bivertex* etc. Commerson =
Lophius commersonianus Lacépède)

187. CHIRONECTES TIGRIS Poey

= ANTENNARIUS TIGRIS (Poey)

Chironectes tigris Poey, 1853:217, pl. 17, fig. 2;
1861:382.

Antennarius tigris, Poey, 1868:405; 1876:134; Jordan
& Evermann, 1898:2723.

Holotype: M. C. Z. 11611. Paratypes: M. C. Z. 11617, 11619, 11621,
3 specimens, 70 to 108 mm. No. Poey 207.

188. ANTENNARIUS CORALLINUS Poey

= ANTENNARIUS MULTIOCELLATUS (Cuvier & Valenciennes)

Antennarius corallinus Poey, 1865:188; 1868:405;
1876:135.

Chironectes multiocellatus, Cuvier & Valenciennes,
1837a:422.

Antennarius multiocellatus, Jordan & Evermann,
1898:2724.

Holotype: M. C. Z. 11620. No. Poey 301.

BIBLIOGRAPHY

AGASSIZ, LOUIS.

1829. In Spix, "Selecta genera et species piscium quos in itinere per Brasiliam annis 1817-1820. etc.," 1st. part.
1831. Idem, 2nd. part.

AHL, JONAS NICHOLAS.

1787. "De Muraena et Ophichtho."

ARTEDI, PETRI.

1793. "Sueci Descriptiones specierum piscium etc., Ichthyologiae, pars V.

BENNETT, F. D.

1840. "Narrative of Whaling Voyage around the Globe, etc.," 2.

BLEEKER, PIETER.

1852. "Diagnostische beschrijving en van nieuwe of weining bekende vischsoorten van Sumatra." Nat. Tijdschr. Neder-Indie, 3.
1854. "Bijdrage tot der Kennis der ichthyologische fauna van bet ieland Flores." Naturkundig. Tijdschr. Neder-Indie, 6.
1856. "Beschrijvingen van nieuwe of wenig bekende visschsoorten van Menado en Makassar." Act. Soc. Sci. Indo-Neerl., 1.
1862a. "Sur quelques genres de la famille des Pleuronectoides." Versl. Akad. Amsterdam, 13.
1862b. "Notices Ichthyologiques." Comptes-rendus Acad. Royal Sci., Sec. Sci. exactes, Amsterdam, 14.
1877. "Mémoire sur les Chromides marins ou Pomacentroïdes de l'Inde archipélagique." Nat. Verh. Holl. Maatsch., Wetensch., 2.
1878. "Quatrième mémoire sur la faune ichthyologique de la Nouvelle-Guinée." Arch. Néerl. Acad. Sci., 13.

BLOCH, MARC ELIESER

1785. "Ichthyologie, ou Histoire naturelle, général et particulière des poissons."
1786. "Ichthyologie, ou Histoire naturelle, général et particulière des poissons."
1787. "Naturgeschichte der Ausländischen Fische." 3.
1790. Idem, 4.
1791. Idem, 5.
1792. Idem, 6.
1793. Idem, 8.
1795. Idem, 9.
1789. "Tuå Utländskar Fiskar." Kongl. Vetenskaps Academiens Nya Handlingar, Stockh., 10.

BLOCH, MARC ELIESER and SCHNEIDER, JOHANN GOTTLÖB

1801. "Systema Ichthyologiae iconibus ex illustratum etc."

BONAPARTE, CHARLES LUCIEN

1837. "Iconografia della Fauna Italica per le quattro classi degli animali vertebrati." Fasc. 91.

CASTELNAU, FRANÇOIS L.

1855. "Expedition dans les parties centrales de l'Amerique du Sud, etc. pendant les années 1843 à 1847." Poissons.

COCCO, ANASTASIO

1829. "Lettere al Signore Risso su alcuni pesci novelli." Giorn. Sci. Lett. Sicilia, 42.

COPE, EDWARD DRINKER

1870. "Contribution to the Ichthyology of the Lesser Antilles," Trans. Amer. Philos. Soc., 14.

CUVIER, GEORGE

1817. "Le Règne animal distribué etc.," Ed. 1, Poissons, 2 (The Latin forms supplied by Oken, 1817, in his *Isis*.)

1829. "Le Règne animal distribué etc.," Ed. 2, Poissons, 2.

CUVIER, GEORGE and VALENCIENNES, ACHILLE

1828. "Histoire Naturelle des Poissons," 2.

- 1829a. Idem, 3.

- 1829b. Idem, 4.

- 1830a. Idem, 5.

- 1830b. Idem, 6.

- 1831a. Idem, 7.

- 1831b. Idem, 8.

1833. Idem, 9.

1836. Idem, 11.

1837. Idem, 12.

- 1839a. Idem, 13.

- 1839b. Idem, 14.

1847. Idem, 20.

EIGENMANN, CARL H. and EIGENMANN, ROSA SMITH

1890. "Additions to the Fauna of San Diego." Proc. Calif. Acad. Sci., Ser. 2, 3.

FORSKÅL, PEHR

1775. "Descriptiones Animalium avium, amphiborium, piscium, etc."

FOWLER, HENRY W.

1905. "New, rare, or little known Scombroids." Proc. Acad. Nat. Sci. Phila., 57.

1911. "Notes on Clupeoid Fishes." Proc. Acad. Nat. Sci. Phila., 63.

GARMAN, SAMUEL

1896. "Cross Fertilization and Sexual rights and lefts among Vertebrates." Amer. Nat., 30.

1913. "The Plagiostomia." Mem. Mus. Comp. Zool., 36.

GILL, THEODORE

- 1859a. "Description of Hyporhamphus, a new genus of fishes allied to Hemirhamphus Cuv." Proc. Acad. Nat. Sci. Phila., **11**.
- 1859b. "Description of a third genus of Hemirhamphinae." Proc. Acad. Nat. Sci. Phila., **11**.
- 1859c. "Description of a new genus of Salarianae from the West Indies." Proc. Acad. Nat. Sci. Phila., **11**.
1860. "Monograph of the genus Labrosomus Sw." Proc. Acad. Nat. Sci. Phila., **12**.
1861. "Catalogue of the fishes of the Eastern Coast of North America, from Greenland to Georgia." Supp. Proc. Acad. Nat. Sci. Phila., **13**.
- 1862a. "Appendix to the Synopsis of the Subfamily of Percinae." Proc. Acad. Nat. Sci. Phila., **14**.
- 1862b. "Remarks on the relations of the genera and other groups of Cuban fishes." Proc. Acad. Nat. Sci. Phila., **14**.
- 1863a. "Catalogue of the fishes of Lower California collected by Mr. J. Xantus." Proc. Acad. Nat. Sci. Phila., **15**.
- 1863b. "Descriptions of the genera of Gadoid and Brotuloid fishes of North America." Proc. Acad. Nat. Sci. Phila., **15**.
1865. "On a new genus of Serraninae." Proc. Acad. Nat. Sci. Phila., **17**.

GIRARD, CHARLES

1858. "Notes upon various new genera and new species of fishes in the Museum of the Smithsonian Institution, etc." Proc. Acad. Nat. Sci. Phila., **10**.
1859. "Ichthyological Notices." Proc. Acad. Nat. Sci. Phila., **11**.

GMELIN, JOHANN FREDERICK

1788. "Systema Naturae per regna tria naturae, etc.," Ed. 13.

GRONOW, LORENZ THEODOR

1777. In Scopoli, "Introductio ad Historiam Naturalem."
1854. "Catalogue of fish collected and described by Laurence Theodore Gronow, now in the British Museum."

GUICHENOT, A.

1853. In Ramon de la Sagra, "Historia Fisica, Politica y Natural de la Isla de Cuba," Peces.

GÜNTHER, ALBERT

1859. "Catalogue of the fishes in the British Museum," **1**.
1862. Idem, **4**.
1868. Idem, **7**.

HUBBS, CARL L.

1926. "Studies of the fishes of the Order Cyprinodontes." Misc. Pub. Univ. Mich. Mus., **16**.

JENYNS, LEONARD

1842. "The Zoölogy of the voyage of H. M. S. "Beagle," during the years 1832-1836." Fishes.

JORDAN, DAVID STARR

1885. "A Catalogue of the fishes known to inhabit the waters of North America North of the Tropic of Cancer." Rept. U. S. Fish Comm., **13**.
1886. "Revision of the Sciaenidae of Europe and America." Rept. U. S. Fish Comm., **14**.

JORDAN, D. S. and EVERMANN, BARTON W.

1895. "A Check List of the fishes and fish-like Vertebrates of North and Middle America." Rept. U. S. Fish Comm., **21**.
1896. "The Fishes of North and Middle America." U. S. Nat. Mus. Bull. No. 47, **1**.
1898. Idem, **2** and **3**.
1927. "New Genera and species of North American fishes." Proc. Calif. Acad. Sci., 4th Ser., **16**.

JORDAN, D. S., EVERMANN, B. W. and CLARK, H. W.

1930. "Check List of the Fishes and Fish-like Vertebrates of North and Middle America." Rept. U. S. Fish Comm., Part 2.

JORDAN, D. S. and HUBBS, CARL L.

1919. "A Monographic Review of the Family of Atherinidae or Silversides." Stanf. Univ. Pub., Univ. Ser.

KAUP, JOHANN JACOB

1856. "Catalogue of the Apodal fishes in the Collection of the British Museum."

LACÉPÈDE, BERNARD GERMAIN

1798. "Histoire Naturelle des Poissons," **1**.
1800. Idem, **2**.
1802. Idem, **3**.
- 1803a. Idem, **4**.
- 1803b. Idem, **5**.

LICHTENSTEIN, MARTIN HEINRICH CARL

1821. "Die Werke von Maregrave und Piso über die Naturgeschichte Brasiliensis, erläutert aus den wider aufgefundenen Originalzeichnungen." Abhandl. Berlin Acad. Wiss.

LINNAEUS, CARL

1758. "Systema Naturae sive regna tria naturae, etc.," Ed. 10.
1766. Idem, Ed. 12.

LOWE, RICHARD THOMAS

1838. "Piscium Maderensium species quaedam novae vel minus rite cognitae breviter descriptae, etc." Trans. Cambridge Phil. Soc., **6**.

LÜTKEN, CHRISTIAN FREDERIK

1851. "Nogle bemaerkinger om naeseborenes stiling højs de i gruppe med Ophisurus staaende slaegter af aalefamilien," Vidensk Meddel. Naturhist. Foren. Kjöbenhavn.

MÜLLER, JOHANNES and TROSCHEL, FRANZ H.

1843. "Beiträge zur Kenntniss der natürlichen Familien der Fische." Wiegmann's Archiv. Naturgesch.
1847. In Schomburgk, "The History of Barbados, etc."

MYERS, GEORGE S.

1927. "An Analysis of the Genera of Neotropical Killifishes allied to Rivulus." Ann. Mag. Nat. Hist., Ser. 9, 19.

NORMAN, J. R.

1934. "Monograph of the Flatfishes (Heterosomata)."

OKEN, LORENZ

1817. "*Les Congress Cuvier*," in the *Isis*.

OSBECK, PEHR

1765. "Iter Chinensis 1757; reprinted as "Reise nach Ostindien und China, etc." Deutsche Uebersetzung von J. G. Georgius Rostock.

PARR, ALBERT EIDE

1928. "Deep-sea fishes of the Order Iniomi from the waters around the Bahama and Bermuda Islands." Bull. Bingham Ocean. Coll., 3, Art. 3.

POEY, FELIPE

1851. "Memorias sobre la Historia Natural de la Isle de Cuba," 1, pp. 1-40, pls. 1-8.
1852. Idem, pp. 40-200, pls. 9-22.
1853. Idem, pp. 201-280, pls. 23-30.
1854. Idem, pp. 281-453, pls. 31-34.
1858. "Memorias sobre la Historia Natural de la Isla de Cuba," 2, pp. 1-96, pls. 1-9.
1860. Idem, pp. 97-336, pls. 10-12, 14.
1861. Idem, pp. 337-428, pls. 13, 15-19.
1863. "Descriptions des Poissons nouvelles ou peu connues." Proc Acad. Nat. Sci. Phila., 15, pp. 180-188.
1865. "Repertorio Fisico-Natural de la Isla de Cuba," 1, pp. 1-278.
- 1866a. Idem, pp. 279-420.
- 1866b. "Repertorio Fisico-Natural de la Isla de Cuba," 2, pp. 1-48.
1867. Idem, pp. 49-276.
1868. Idem, pp. 276-484. (The *Synopsis Piscium Cubensium* forms part of Vol. 2 of the *Repertorio*, pp. 279-484.)
- 1870a. "Review of the fish of Cuba belonging to the Genus *Trisotropis*, with an introductory note by J. Carson Brevoort." Ann. Lyc. Nat. Hist. N. Y., 9, pp. 301-310.

- 1870b. "New species of Cuban Fish." Ann. Lyc. Nat. Hist. N. Y., **9**, pp. 317-322.
1871. "Genres des Poissons de la Faune de Cuba appartenant à la Famille *Percidae*." Ann. Lyc. Nat. Hist. N. Y., **10**, pp. 27-79, pl. 1.
1872. "Monographie des Poissons de Cuba compris dans la sous-famille des *Sparini*." Ann. Lyc. Nat. Hist. N. Y., **10**, pp. 170-184, pls. 6-7.
- 1875a. "Poissons de l'île de Cuba." Ann. Lyc. Nat. Hist. N. Y., **11**, pp. 58-70, pls. 7-10.
- 1875b. "Enumeratio Piscium Cubensium." Ann. Soc. Esp. Hist. Nat., **4**, pp. 75-162 (1-88), pls. 5-8.
1876. Idem, **5**, pp. 131-218 (89-176), pp. 373-404 (177-208), pls. 7-10, 13-14.
1877. Idem, **6**, pp. 139-154 (209-224).
(This work has two numbers on each page, one corresponding to the vol., the other continuous for the work itself.)
1880. "Revisio Piscium Cubensium." Ann. Soc. Esp. Hist. Nat., **9**, pp. 243-261 (1-19), pls. 7-10. (This work also has two numbers on each page.)

PUTNAM, FREDERICK WARD

1863. "List of fishes sent by the Museum to different institutions in exchange for other specimens, with annotations," Bull. Mus. Comp. Zool., **1**.

QUOY, JEAN R. C. and GAIMARD, PAUL

1824. "Voyage autour du monde. exécuté sur la corvette de S. M. *L'Uranie* etc." Zool., **1**.

RAFINESQUE, SAMUEL

- 1810a. "Caratteri di alcuni nuovi Generi e nuove specie di Animale e Piante della Sicilia."
- 1810b. "Indice d'Ittiologia Siciliana."

RANZANI, CAMILLO

1840. "De novis speciebus piscium;" Acad. Sci. Inst. Bonon. **3**.
1842. "De novis speciebus piscium." Nov. Comm. Acad. Sci. Bonon., **5**,

RICHARDSON, JOHN

- 1844a. "The Zoology of the Voyage of H. M. S. *Erebus* and *Terror* during 1839-43." Fishes.
- 1844b. "Zoology of the voyage of H. M. S. *Sulphur*, etc." Ichthyology.
1856. "Ichthyology," in Encyclopaedia Britannica, Ed. 12.

RIVERO, LUIS HOWELL

1934. "Some new and rare Cuban eels." Mem. Soc. Cub. Hist. Nat., **8**, No. 6.

SHAW, GEORGE

1803. "General Zoology or systematic natural History, etc.," **4**.

SWAINSON, WILLIAM

1839. "Natural History and classification of fishes, amphibians and reptiles, or monocardian animals," 2.

TROSCHEL, FRANZ H.

1865. In Müller's "Reisen in den Vereinigten Staaten, Canada und Mexico," 3.

VAN HASSELT, J. K.

1824. "Notice anatomique sur quelques poissons." Bull. Sci. Nat. (Férussac), 2.

WALBAUM, J. J.

1792. Petri Artedi, "Bibliotheca et philosophia ichthyologica..." Piscium, 3.